

Index

A

accelerated double challenge. *See* ADC
acid mantle, 20–21, 26
acne treatments. *See* hand/body care lotions/creams
Adaptations to Technical Progress. *See* ATP
ADC (accelerated double challenge), 236–239
 USP 28-day PET *versus* 14-day ADC PET, 239–244
adenosine triphosphate. *See* ATP
alcohols
 alcohol denat., 180
 hand sanitizers, 368, 370, 372–374
 natural ingredients, 168–169
alkyl (C16, C18, C22) trimethylammonium chloride, 192
alpha ether sulfates, 315
American Society for Testing and Materials. *See* ASTM
anisic acid, 174
 basic information, 157
antidandruff products. *See* hair care products
antimicrobials
 EGCG, 297
 food-grade monoesters, 67–68
 MIC testing, 68–79
 natural cosmetic products, 35, 36–38
 glyceryl monoesters, 41–43
 organic acids, 38–41
preservatives
 approved, 48
 classes and mechanisms, 48–49
 evaluating, 44
 paraben-based alternatives, 57–65
soaps *versus* plain soaps and alcohol-based antiseptics, 376–377
testing requirements, hand sanitizers, 369, 371

antioxidants, natural ingredients, 169
antiperspirants. *See* odor control
AOAC (Association of Analytical Communities), PET methodologies, 230–233
aqua (water), 121
ascorbic acid, 169
Association of Analytical Communities. *See* AOAC
ASTM (American Society for Testing and Materials), PET methodologies, 230–233
ATP (Adaptations to Technical Progress), decisions of 2007, 189–191
ATP (adenosine triphosphate)
 bioluminescence, dentifrice studies, 248–255
atypical cosmetics, 200–201

B

bacterial microflora, 5–6
bad breath. *See* oral care/oral care products
bath products/shower gels. *See also* soaps; wet wipes
 IPBC restrictions, 190
 microbial contamination, 264
BDIH (Federation of German Industries and Trading), natural (term), 35, 39, 42
behentrimonium, 193
benzalkonium chloride
 basic information, 137
 frequency of use
 2001 *versus* 2003, 112, 114, 116
 2003 *versus* 2005, 178, 181
 hand sanitizers, 368, 370
benzethonium chloride
 Annex VI ruling, 215
 basic information, 120, 157
 frequency of use
 2001 *versus* 2003, 113, 114
 2003 *versus* 2005, 179
 hand sanitizers, 368, 370

- benzisothiazolinone
 basic information, 118
 frequency of use, 2003 *versus* 2005, 179
- benzoic acid, 35, 58, 59, 138
 Annex VI
 “*” on labels, 190
 changes, 191, 217
 basic information, 120, 126, 138
 frequency of use
 2001 *versus* 2003, 112, 114
 2003 *versus* 2005, 178
 natural ingredients, 168–169
- benzyl alcohol, 35
 basic information, 118–119, 120, 126,
 133, 137, 161
 frequency of use
 2001 *versus* 2003, 112, 114
 2003 *versus* 2005, 178
 natural ingredients, 168–169
 organic acids, 58, 85
- benzyl butyl phthalate, 218
- benzylhemiformal, frequency of use, 2003
versus 2005, 179
- benzylparaben, frequency of use
 2001 *versus* 2003, 113, 114, 116
 2003 *versus* 2005, 179, 181
- bifidus ferment lysate, 14
- Bioban BP-Pharma, 157, 161
- Bioban BP-Pharma 30, 162
- bioluminescence, ATP (adenosine
 triphosphate), dentifrice studies, 248–255
- Biopein, 88–90, 157
- biotechnology
 E. coli, 387–393
 cosmetic ingredients, 392–393
 fermentation processes, 391
 industrial enzymes, 389
 metabolic engineering, 390–391
 therapeutic agents, 390
 genetic engineering
 DNA, 386–387
 innovative products, 385–386
 recombinant products, 387–393
- bishydroxyethyl biscetyl malonamide, 218
- bisphenol, 219
- body lotions/creams. *See* hand/body care
 lotions/creams
- boric acid/sodium borate, frequency of use
 2001 *versus* 2003, 112, 114
 2003 *versus* 2005, 178
- botanical extract blend, 157
- BP (British Pharmacopoeia), PET
 methodologies, 230–233
- British Pharmacopoeia. *See* BP
- bromochlorophene
 Annex VI, “*” on labels, 190
 frequency of use, 2003 *versus* 2005, 179
- bronopol, 138
- bronopol, deceth-8, 119
- Bronopol (cosmetic grade), 138
- butoxyethanol, 192
- butylparaben, 82
 basic information, 122, 125, 127–132,
 136, 138, 162, 164
 frequency of use
 2001 *versus* 2003, 112, 114
 2003 *versus* 2005, 178
 registration of preservatives, 184
- ## C
- CA-24E, 119
- calomel, 371
- caprylic/capric glycerides, 158
- caprylyl glycol
 basic information, 121, 158
 nontraditional preservatives, 182
 preservative booster, 49–51, 55
- captan, frequency of use, 2001 *versus* 2003,
 113, 114
- carcinogenic materials. *See* CMR
- cavities. *See* oral care/oral care products
- CCP (critical control points) and HACCP,
 226–227
- certification bodies, European, 35
- cetrimonium, 192, 193
- chloracetamide, 58
 frequency of use
 2001 *versus* 2003, 116
 2003 *versus* 2005, 181
- chloracetamide sodium benzoate, 119
- chloramine T, frequency of use, 2003
versus 2005, 179
- chlorothymol, 180

- chlorbutanol, frequency of use
2001 *versus* 2003, 113, 114
2003 *versus* 2005, 180
- chlorhexidine
Annex VI, “*” on labels, 190
frequency of use, 2003 *versus* 2005, 179, 181
- chlorhexidine acetate, frequency of use
2001 *versus* 2003, 113, 114, 116
2003 *versus* 2005, 179, 181
- chlorhexidine digluconate, frequency of use
2001 *versus* 2003, 112, 114
2003 *versus* 2005, 178
- chlorhexidine dihydrochloride, frequency of use
2001 *versus* 2003, 113, 114, 116
2003 *versus* 2005, 179
- chlorhexidine gluconate, 370, 373
- chloroacetamide, frequency of use
2001 *versus* 2003, 113, 114
2003 *versus* 2005, 178
- chloromethylisothiazolinone, 137
- chloroxylenol
Annex VI, “*” on labels, 190
basic information, 119
frequency of use, 2001 *versus* 2003, 112, 114
hand sanitizers, 370
- chlorphenesin, 58
basic information, 126, 133, 139
frequency of use
2001 *versus* 2003, 113, 114
2003 *versus* 2005, 178
- Ciba Irgacare DP 300, 156
- Ciba Irgacare MP, 156
- Ciba Irgacare PG 60, 156
- CIR (Cosmetic Ingredient Review)
chloroacetamide, unsafe, 181
preservatives in cosmetic formulations, 110, 183
- citrus grande* (grapefruit) seed extract, frequency of use
2001 *versus* 2003, 113, 114, 116
2003 *versus* 2005, 179
- citrus seed extracts, 172–174
- climbazole
Annex VI, “*” on labels, 190
frequency of use, 2003 *versus* 2005, 179
- cloflucarban, 370
- CMR (carcinogenic, mutagenic or toxic) materials, 218–219, 329
PAH (polycyclic aromatic hydrocarbons), 329
- coal tar. *See* CT
- collagen, 392
- conditioners, hair. *See* hair care products
- CoSept 200, 152
- CoSept B, 138
- CoSept DM, 141
- CoSept E, 143
- CoSept M, 147
- CoSept P, 150–151
- CoSept PEP, 130
- CoSept PHE, 149
- CoSept SM, 154
- Cosmetic, Toiletry and Fragrance Association. *See* CTFA
- cosmetic raw materials
extraction of microorganism-produced materials, 357–358
with non-traditional solvents, 359–364
patents, 358–359
fermentation, 356
patents, 356–357
- Cosmocil CQ, 161
- critical control points. *See* CCP
- CT (coal tar), 328–330
EU forbidden material, 329
versus SSOS (sodium shale oil sulfonate), study/results, 333–341
- CTFA (Cosmetic, Toiletry and Fragrance Association)
atypical cosmetics, 200, 201
CTFA Dictionary, 110, 183
PET methodologies, 230–233
preservatives
efficacy testing, 258–268
registering, 183
wet wipes, 345
- Cyclomethicone-D4, 218
- cyclotetrasiloxane, 218

D

dandruff. *See* hair care products

dehydroacetic acid, 58

basic information, 120, 126

frequency of use, 2001 *versus* 2003, 112, 114

dehydroacetic acid/sodium dehydroacetate,

frequency of use, 2003 *versus* 2005, 178

denatonium benzoate, t-butyl alcohol, 180

dentifrice formulation testing, 248–255

deodorants. *See* odor control

Deo-Usnat, 136

deoxyribonucleic acid. *See* DNA

Dermatophytes species, 312–313

detergents, 209

diazolidinyl urea. *See* DU; DU/OA

dichlorobenzyl alcohol

Annex VI, “*” on labels, 190

basic information, 132, 140

frequency of use

2001 *versus* 2003, 113, 114, 116

2003 *versus* 2005, 179, 181

dichlorophene, frequency of use

2001 *versus* 2003, 113, 114, 116

2003 *versus* 2005, 179, 181

diethyl ether, extraction of microorganism-produced materials, 359

diethyl phthalate, 180

diethylamino hydroxybenzoyl hexyl

benzoate, 216, 217

diethylhexyl sodium sulfosuccinate, 158

dihydrochloride, 181

dihydroxyacetone, 392, 393

dimethoxane, frequency of use, 2001 *versus* 2003, 113, 114, 116

dimethyl dimethylol hyantoin, 162

dimethyl oxazolidine

basic information, 143, 162

frequency of use, 2003 *versus* 2005, 179

dimethylsulfoxide. *See* DMSO

dipropylene glycol, 121, 123

dl-alpha-tocopherol, 158

DMDM hydantoin, 82, 86

Annex VI, “*” on labels, 190

basic information, 121, 127, 136,

141–142, 159, 162

frequency of use

2003 *versus* 2005, 178

2001 *versus* 2003, 112, 114

DMSO (dimethylsulfoxide), 307

DNA (deoxyribonucleic acid), 386–387

domiphen bromide, frequency of use

2001 *versus* 2003, 113, 114, 116

2003 *versus* 2005, 179, 181

Dowicil 200, 152, 165

DU (diazolidinyl urea), 58, 62–65, 82,

85. *See also* DU/OA (diazolidinyl urea/organic acids)

basic information, 120, 133–135,

139–140, 150, 165

frequency of use

2001 *versus* 2003, 112, 114

2003 *versus* 2005, 178

DU/OA (diazolidinyl urea/organic acids),

59, 62–65. *See also* Euxyl K500 and Euxyl PE0910

color stability, 59–60

S&M KoKo test, 60–65

DU/Paraben (diazolidinyl urea/parabens), 62–65

E

E. coli, 387–393

cosmetic ingredients, 392–393

fermentation processes, 391

industrial enzymes, 389

metabolic engineering, 390–391

therapeutic agents, 390

eccrine sweat glands

lactic acid, 20–21

sweating, 26–27

EcoCert (France), natural (term), 35, 39, 42

econazole, 308, 311–313

EDTA (ethylene-diamine tetraacetic acid), 54

EGCG (epigallocatechin gallate)

extraction and purification processes, 291

features, 298

formulation principles, 298

green tea catechins, 290

oral care, 292–298

products, 300–301

safety, 298

- Elestab 3334, 133
Elestab CPN Ultrapure, 139
emulsions
 atypical cosmetics, 200
 natural ingredients, 169
 PAO statement, 209
England, Organic Soil Association, natural (term), 35, 39, 42
EP (European Pharmacopoeia)
 moisture cream formula, 41
 PET methodologies, 230–233
 preservative efficacy testing, 258–268
epigallocatechin gallate. *See* EGCG
escin, frequency of use, 2001 *versus* 2003, 113, 114, 116
essential oils, 180
ethanol
 hand sanitizers, 372
 use of alcohols, 2003 *versus* 2005, 180
ethyl alcohol, 368, 370
ethylene-diamine tetraacetic acid (EDTA), 54
ethylhexylglycerin, 35, 52–53, 55, 85
 basic information, 159
 nontraditional preservatives, 182
ethylparaben, 82
 basic information, 123, 125, 129–132, 136–137, 143–144, 162, 164
 frequency of use
 2001 *versus* 2003, 112, 114
 2003 *versus* 2005, 178
 registration of preservatives, 184
EU (European Union) and cosmetic products
 Annex II directives, prohibited preservatives, 216
 Annex IV directives, colors prohibited, 216, 218
 Annex VI directives, 167–168
 commercial products, 171–172
 EEC Cosmetic Directive 76/768/EEC, 167
 “illegal” preservatives, 172–175, 177, 329
 natural ingredients, 168–170
 natural processes, 170
 packaging, 175–176
 permitted preservatives, 215–217
 plant self-preservation, 170–171
 preservatives, natural, 167–168, 171–172
ATP (Adaptations to Technical Progress) decisions, 189–190, 215–217
ingredients list, 110–111, 183–184
labeling
 PAO (Period after Opening) statement, 204–214
 PIP (product information package), 110, 182–183, 258
regulations
 CT (coal tar), 329
 hand sanitizers, 371
European certification bodies
 EEC Cosmetic Directive 76/768/EEC, 167
 natural (term), 35, 39, 42
European Pharmacopoeia. *See* EP (European Pharmacopoeia)
European Union. *See* EU
Euxyl K 100, 118
Euxyl K 300, 129
Euxyl K 400, 124
Euxyl K 500, 85–86. *See also* DU/OA
Euxyl K 600, 136
Euxyl K 700, 126
Euxyl K 702, 126
Euxyl K 727, 123
Euxyl PE 9010, 85–86
eye care products
 microbial contamination, 263, 264
 PAO statement, 209
- F**
FDA (Food and Drug Administration) and preservatives, 112–116
 CIR, 110–111
 Congressional bill, 2006, 194–197
 HAACP, 227
 hand sanitizers, 366, 368–371
 legal issues, 111
 NDA (new drug applications), 195
 preservation guidelines, adequacy of, 257
 registration of preservatives, 109–110, 177

restrictions, homosalate, 192
 Semiannual Regulatory Agenda, 2005, 220
 VCRP, 177, 182, 183
 Federation of German Industries and Trading (BDIH), natural (term), 35
 ferulic acid, 169
 5-bromo-5nitro-1,3-dioxane, frequency of use
 2001 *versus* 2003, 113, 114, 116
 2003 *versus* 2005, 179, 181
 Fleming, Alexander, 36
 fluoroslan, 370
 Food and Agriculture Organization, United Nations, probiotics, 13
 Food and Drug Administration. *See* FDA
 formaldehyde
 Annex VI, “*” on labels, 191
 frequency of use
 2001 *versus* 2003, 112
 2003 *versus* 2005, 178
 formaldehyde/paraformaldehyde, 182
 formalin/paraformaldehyde, frequency of use, 2001 *versus* 2003, 112
 formic acid
 Annex VI, “*” on labels, 190
 basic information, 136
 preservatives in natural cosmetics, 35
 and salts, frequency of use, 2003 *versus* 2005, 179
 Formosan hinoki tree, 174
 4-methoxy benzoic acid, 175
 fragrances. *See* perfumes/fragrances
 France, natural (term), 35, 39, 42

G

genetic engineering
 DNA, 386–387
 innovative products, 385–386
 Geogard, 86–87
 Geogard 221, 87, 120
 Geogard 361, 86–87, 120
 Germaben II, 83, 133
 Germaben II-E, 134–135
 Germall 115, 145
 Germall II, 139
 Germall Plus, 120
 Germany, BDIH, natural (term), 35, 39, 42

Germazide MPB, 126
 GI tract
 microflora, 5
 probiotic benefits, 7
 gingivitis. *See* oral care/oral care products
 GL (gluconolactone), 54
 glucose, 172
 glucose oxide, 172
 glutaraldehyde (glutaral)
 basic information, 144
 frequency of use
 2001 *versus* 2003, 113, 114, 116
 2003 *versus* 2005, 179, 181
 Glutaraldehyde Solution, 144
 Glycacil 2000, 160
 Glycacil L, 160
 Glycacil S, 160
 glycerin, 121, 126
 water activity, 225
 glycerine, 169
 glyceryl capate, 159
 glyceryl caprylate, MIC testing, 68–79
 glyceryl laurate, 121
 glyceryl monoester antimicrobials, 41–43
 glycols
 CMR potential, 218
 natural cosmetic products, 35
 water activity, 225, 226
 Glydant 2000, 159
 Glydant Plus, 86, 121
 Glydant Plus Liquid, 121
 Glydant XL-1000, 142
 grapefruit seed extract, frequency of use
 2001 *versus* 2003, 113, 114, 116
 2003 *versus* 2005, 179, 181
 green tea
 catechins, 290
 EGCG/PEGCG, extracting and purifying, 291

H

HACCP (hazard analysis critical control point), 226–228
 hair care products
 antidandruff shampoos
 CT (coal tar), 328–330
 SSOS (sodium shale oil sulfonate), 330–333

- SSOS *versus* CT, study/results, 333–341
 - ZnCS aqueous solutions, 318, 319
 - cosmetics *versus* drugs, 196
 - dye components
 - resorcinol, 182
 - SCCP opinions, 193
 - human hair amino acids, 221
 - shampoos and preservatives
 - DU/OA *versus* benzoic and sorbic acids, 60
 - FDA-approved materials, 301
 - IPBC restrictions, 190
 - microbial contamination, 263, 264
 - SB *versus* GL, 54
 - tests with various preservatives, 61–65
 - unpreserved, 62
 - water activity, 226
 - halocarbon, frequency of use, 2003 *versus* 2005, 180
 - hand sanitizers. *See* hand/body care lotions/creams
 - hand/body care lotions/creams. *See also* nail care/products; skin care products
 - acne treatments, probiotic serums, 15
 - foundations, 72, 78–79
 - hand sanitizers
 - active ingredients, 372–380
 - antimicrobial soaps *versus* plain soaps and alcohol-based antiseptics, 376–377, 379–380
 - EU regulations, 371
 - FDA regulations, 368–371
 - history, 366–368
 - limitations, 380–381
 - IPBC restrictions, 190
 - lotions, 62, 71
 - medicated lotions
 - ADC, 243
 - MUSP, 242
 - microbial contamination, 263, 264
 - SPF creams
 - ADC, 241
 - USP, 240
 - USP (United States Pharmacopoeia), 41
 - water activity, 226
 - hazard analysis critical control point. *See* HACCP
 - hexachlorophene, 370
 - hexamidine isethionate
 - Annex VI, “*” on labels, 190
 - frequency of use
 - 2001 *versus* 2003, 113, 115
 - 2003 *versus* 2005, 178
 - hexetidine
 - Annex VI, “*” on labels, 190
 - frequency of use, 2003 *versus* 2005, 180
 - hexylresorcinol, 370
 - hinokitiol
 - frequency of use
 - 2001 *versus* 2003, 113, 115, 116
 - 2003 *versus* 2005, 179, 181
 - natural preservative ingredients, 174
 - homosalate, SCCP restrictions/opinions, 192
 - honey, natural ingredients, 168
 - human hair amino acids, 221
 - “hurdle approach,” 168
 - hyaluronic acid, 392, 393
 - hydroxyl ethyl cellulose, 218
- ## I
- imidazolidinyl urea, 82
 - Annex VI, “*” on labels, 190
 - basic information, 122, 145–146
 - frequency of use
 - 2001 *versus* 2003, 112, 115, 116
 - 2003 *versus* 2005, 178
 - immune system, probiotics, 14
 - inflammation of skin, probiotics, 14
 - Integra CG-20, 124
 - intestines. *See* GI tract
 - iodine complexes, 370, 373
 - iodine tincture, 370
 - iodopropynyl butylcarbamate. *See* IPBC
 - IPBC (iodopropynyl butylcarbamate), 58, 86. *See also* DU/OA
 - basic information, 119–121, 127, 129, 133–134, 136, 146, 148–149, 160, 163
 - frequency of use
 - 2001 *versus* 2003, 112
 - 2003 *versus* 2005, 178
 - restrictions by ATP, 190, 192

isobutylparaben
 basic information, 122, 125, 127–132,
 136, 146, 163, 164
 frequency of use
 2001 *versus* 2003, 112, 115
 2003 *versus* 2005, 178
 registration of preservatives, 184

isopropanol, 180

isopropyl alcohol, 370

isopropylparaben
 basic information, 122, 131
 frequency of use
 2001 *versus* 2003, 113, 115
 2003 *versus* 2005, 178

isothiazolinones, 82

J

Japan, zinc compounds, 316

Japanese honeysuckle extracts, 174

JM Acticare, 158

JP (Japanese Pharmacopoeia), PET
 methodologies, 230–233

K

Kathon CG, 122, 184

Kemeben 2, 135

Kemeben 2E, 135

keratin, 392

ketoconazole, 307, 308, 311

K&M KoKo test, 60–65

L

labels, cosmetics/OTC drugs. *See*
 packaging/labels of cosmetics/OTC drugs

lactic acid, 8, 20–21

Lactobacillus extract, 9–10

lactone potentiator, 54

lactoperoxidase, 172

Lanodant DM, 142

Lauricidin, 169

Lexgard 688, 157

Lexgard 690, 161

Lexgard GMC, 159

Lexgard GMCY, 159

Lexgard MCA, 121

Lexgard O, 158

lichen extract, 136

lip care/lipsticks
 cosmetics *versus* drugs, 196
 IPBC restrictions, 190
 PAO statement, 209

LiquaPar Oil, 122

LiquaPar Optima, 131

LiquaPar PE, 127

Liquid Germall Plus, 134

liquid-liquid extraction of microorganism-
 produced materials, 357–358

living microorganisms. *See* probiotics

Lonzagard, 157

lotions/creams. *See* hand/body care
 lotions/creams

M

Mackstat DM, 142

Mackstat SHG, 153

Mackstat ZG, 140

makeup powder preservation
 atypical cosmetics, 200
 materials, 98–99
 microorganisms, 99–100
 testing and results, 100–107
 water activity, 94–95
 and water content, 96–98

menthol and boric acid, 180

mercurfenol chloride, 370, 371

Merguard 1105, 124

Merguard 1190, 123

Merguard 1200, 124

Merguard X-18, 123

methanol, 180

methanol, denatonium benzoate, 180

methenamine
 Annex VI, “*” on labels, 190
 frequency of use
 2001 *versus* 2003, 113, 115, 116
 2003 *versus* 2005, 113, 115, 116, 179,
 181

methylbenzethonium chloride, 370

methylchloroisothiazolinone, 85
 basic information, 118, 122–123, 133
 frequency of use
 2001 *versus* 2003, 112, 115, 116
 2003 *versus* 2005, 178
 registration of preservatives, 184

- methylidibromo glutaronitrile
 - basic information, 122–124, 127–129, 163, 164
 - frequency of use
 - 2001 *versus* 2003, 112
 - 2003 *versus* 2005, 178
 - methylisothiazolinone, 85
 - Annex VI ruling, 216
 - basic information, 118, 122–123, 133, 137, 146, 160
 - frequency of use
 - 2001 *versus* 2003, 112, 115, 116
 - 2003 *versus* 2005, 178
 - registration of preservatives, 184
 - methylparaben, 44, 82
 - basic information, 118–120, 122–123, 125–127, 129–137, 147–148, 150, 161, 163–165
 - frequency of use
 - 2001 *versus* 2003, 112, 115
 - 2003 *versus* 2005, 178
 - Methylparaben NF, 147
 - registration of preservatives, 184
 - MIC (Minimum Inhibitory Concentration)
 - testing
 - monoesters, 68–72
 - preservatives, 44
 - microbiology, 22–23
 - CTFA committee and atypical cosmetics, 200, 201
 - neonatal skin, 22–23
 - wet wipes, manufacturing controls, 349, 350–353
 - Microcare DMP, 120
 - Microcare IMP, 122
 - Microcare IT, 122
 - Microcare MG, 127
 - Microcare MGI, 129
 - Microcare MT, 146
 - Microcare PM, 123
 - Microcare PM5, 131
 - Microcare QT, 137
 - microflora. *See* bacterial microflora;
normal microflora; skin microflora
 - microorganisms
 - makeup powder preservation, 99–100
 - natural strategies against, 36–38
 - penicillin, 36
 - water activity, 225
 - milk proteins, bifidus ferment lysate, 14
 - Minimum Inhibitory Concentration
 - testing. *See* MIC
 - Mirocare CB, 118
 - Mirocare DMP, 120
 - Mirocare SI, 118
 - monoesters, 68
 - MIC testing, 68–72
 - monoglycerides, natural ingredients, 168
 - mouth sprays/washes. *See* oral care/oral care products
 - m*-phenylenediamine, 219
 - mucous membranes
 - microflora, 5
 - skin microflora, benefits, 8–9
 - mutagenic materials. *See* CMR
- ## N
- nail care/products. *See also* hand/body care lotions/creams
 - formaldehyde/paraformaldehyde, 182
 - nail anatomy study, 306–310
 - results, 311–313
 - n antifungal drugs, 306–310
 - onychomycosis, 305–306
 - toluene, 218
 - nanomaterials, 221
 - Natrulon, 88
 - natural cosmetic products???, 36–38
 - antimicrobials, 35, 36–38
 - glyceryl monoesters, 41–43
 - organic acids, 38–41
 - European certification organizations, 35, 48
 - preservatives, 36–38
 - boosters, 47–55
 - classes and mechanisms, 48–49
 - evaluating, 44
 - parabens-based alternatives, 57–65
 - natural ingredients, 168–169
 - natural poisons, 33–34
 - natural (term), preservatives, 35
 - NDA (new drug applications), FDA, 195
 - Neolone 950, 146, 160

neonatal skin
 acid mantle, 20–21, 26
 eccrine sweating, 26–27
 embryonic/fetal developmental stages,
 17–20
 microbiology, 22–23
 sebaceous glands, 23
 sebum secretion, 23, 24–26
 TEWL, 24–25, 27
 vernix caseosa, 23–26

Neopein, 88–89

1938 Food, Drug and Cosmetic Act, 196

Nipa Biopure 100, 145

Nipa Biopure 200, 140

Nipabutyl, 138–139

Nipabutyl Sodium, 152–153

Nipacide PX, 119

Nipacide PX-R, 119

Nipagin A, 144

Nipagin A Sodium, 153

Nipagin M, 148

Nipagin M Sodium, 154–155

Nipagin M/Nipazol M 4:2 Blend, 125

Nipaguard BPX, 131

Nipaguard CMB, 137

Nipaguard DCB, 128

Nipaguard DMDMH, 142

Nipaguard IPF, 148

Nipaguard IPP2, 149–150

Nipaguard MPA, 118–119

Nipaguard PDU, 134

Nipaguard SMG, 154

Nipasept, 125

Nipasept Sodium, 137

Nipazol M, 151

Nipazol M Sodium, 155

Nipastat, 125

Nipastat Sodium, 136–137

nisin, frequency of use, 2003 *versus* 2005,
 180

N,N-dimethylanilinium tetrakis borate,
 219

nonylphenoxypoly ethanoliiodine, 370

normal microflora
 bacterial microflora, 5–6
 benefits, 5

O

o-cymen-5-OL, frequency of use, 2003
versus 2005, 179

odor control products
 antiperspirants
 market activity, 280–282
 patents, 282
 product claims, 281
 benefits, 273–274
 cosmetics *versus* drugs, 196
 deodorants
 patents, 282–283
 ZnCS aqueous solutions, 318, 319
 external influences, 274
 OTC Final Monograph on
 Antiperspirant Products, 277
 efficacy testing, 280
 issues addressed, 278
 labels, Drug Facts information, 279
 maximum use levels, 279
 packaging, 275
 patents
 affecting consumer habits, 284–285
 antiperspirants, 282
 deodorants, 282–283
 product enhancements, 283–284

1,1 hexanediol, nontraditional
 preservatives, 182

onychomycosis, 305–306

o-phenylphenol/sodium *o*-phenylphenol
 Annex VI, “*” on labels, 190
 frequency of use
 2001 *versus* 2003, 113, 115, 116
 2003 *versus* 2005, 179

oral care/oral care products
 EGCG/PEGCG
 formulations, 298–300
 products, 298–301
 relation to oral care, 292–298
 microbial contamination, 263
 PAO statement, 209

oral malodor. *See* oral care/oral care
 products

Orange 10/Orange 11 color, 189, 191

organic acids, 58, 59. *See also* DU/OA
 (diazolidinyl urea/organic acids)
 antimicrobials, 38–41

- versus* parabens, 59
 - preservatives, 57–59
 - Organic Soil Association (England),
 - natural (term), 35, 39, 42
 - Osmocide 2, 121
 - OTC Final Monograph on Antiperspirant Products, 277
 - efficacy testing, 280
 - issues addressed, 278
 - labels, Drug Facts information, 279
 - maximum use levels, 279
 - OTC (over-the-counter) drugs
 - ATP restrictions, 189–192
 - Congressional bill, 2006, 194–197
 - CT (coal tar) discussions, 328
 - Drug Facts labels, 184, 195–196
 - hand sanitizers
 - active ingredients, 372–380
 - EU regulations, 371
 - FDA regulations, 368–371
 - history, 366–368
 - limitations, 380–381
 - warnings for children, 28
 - Oxaban-A, 143, 162
 - Oxaban-E, 143, 162
 - oxyquinolene benzoate, 371
- P**
- packaging/labels of cosmetics/OTC drugs
 - Annex VI
 - “*” on labels, 190–191
 - preservatives approved, 175–176
 - Drug Facts labels, 184, 195–196
 - natural cosmetics, 35
 - odor control products, 275
 - PAO (Period after Opening) statement, 204–212
 - PIP (product information package), EU, 110, 182–183, 258
 - warnings for children, 28
 - PAH (polycyclic aromatic hydrocarbons), 329
 - PAO (Period after Opening) statement, 204–212
 - advantages/disadvantages, 212–214
 - check-list for non-microbial evaluations, 211–212
 - parabens/parabens-based blends
 - alternatives, organic acids, 57–59 (*See also* DU/OA)
 - Annex VI, “*” on labels, 190
 - frequency of use, 2001 *versus* 2003, 82, 116
 - natural ingredients, 171
 - versus* organic acids, 59
 - Phenonip, 83–85
 - preservative boosters, 48, 54
 - parachlorometaxylenol, 368
 - paraformaldehyde
 - Annex VI, “*” on labels, 191
 - frequency of use, 2003 *versus* 2005, 179
 - paraformaldehyde/formalin
 - 2001 *versus* 2003
 - frequency of use, 112, 115, 116
 - inactive registrations or limited activity, 181
 - frequency of use, 2001 *versus* 2003, 112, 115, 116
 - Paragon, 136
 - Paragon G-2, 134
 - Paragon II, 136
 - Paragon III, 127
 - Paragon MEPB, 129
 - Paratexin B, 139, 162
 - Paratexin DPE, 128, 163
 - Paratexin E, 144
 - Paratexin FPX, 130, 164
 - Paratexin IBP, 126, 163
 - Paratexin IPT, 127, 163
 - Paratexin LIN, 128, 164
 - Paratexin MPB, 132, 148, 163, 164
 - Paratexin MS, 155
 - Paratexin PBA, 119, 151, 161
 - Paratexin PE, 149, 163
 - Paratexin PS, 155, 166
 - parfum (fragrance), 174
 - p*-chloro-*m*-cresol
 - Annex VI, “*” on labels, 190
 - frequency of use
 - 2001 *versus* 2003, 113, 115
 - 2003 *versus* 2005, 179
 - PEG-8, 121
 - PEG-4 laurate, iodopropynyl butylcarbamate, 126, 148, 163

- PEGCG (pure epigallocatechin gallate), 289–290
extraction and purification processes, 291
formulation principles, 299–300
products, 300–302
- penicillin, 36
- pentafluorophenyl, 219
- pentylene glycol, 182
- perfumes/fragrances
Annex II ingredients prohibited, 216
PAO statement, 209
parfum (fragrance), 174
- perillic acid, 175
- Period after Opening statement. *See* PAO statement
- personal care products, raw materials
extraction of microorganism-produced materials, 357–358
with non-traditional solvents, 359–364
patents, 358–359
fermentation, 356
patents, 356–357
- personal care wipes. *See* wet wipes
- PET (preservative efficacy testing)
ADC (accelerated double challenge), 236–239
USP 28-day PET *versus* 14-day ADC PET, 239–244
atypical cosmetics evaluation, 200–201
challenge test organisms, 232–233
in-house methods of companies, 234
methodologies, 230–233
objectives, 234–235
- petrochemical preservatives, 35
- petrochemical-derived antimicrobials, 35
- Phenagon PDI, 127
- phenethyl alcohol, frequency of use
2001 *versus* 2003, 113, 115
2003 *versus* 2005, 179
- Phenochem, 130, 164
- phenols, 219, 370, 373
- Phenonip, 83–85, 130–131
- Phenopol, 132
- Phenoxetol, 148–149
- phenoxyethanol, 35, 58, 82, 85
Annex VI, “*” on labels, 190
basic information, 120, 123–124, 126–128, 130–132, 148–149, 163–164
frequency of use
2001 *versus* 2003, 112, 115, 116
2003 *versus* 2005, 178
registration of preservatives, 184
- phenoxyisopropanol
Annex VI, “*” on labels, 191
frequency of use
2001 *versus* 2003, 113, 115
2003 *versus* 2005, 179, 181
- phenyl mercuric acetate, frequency of use
2001 *versus* 2003, 113, 115, 116
2003 *versus* 2005, 179, 181
- phenylphenol/sodium o-phenyl-phenol, 181
- phenylpropanol, 121, 161
- PHMB (polyaminopropyl biguanide)
Annex VI, “*” on labels, 190
basic information, 132, 136, 161, 164
frequency of use
2001 *versus* 2003, 113, 115
2003 *versus* 2005, 179
- phytoalexins, 36
- PIP (product information packages) and preservatives, 110, 182–183
- piroctone olamine
Annex VI, “*” on labels, 190
frequency of use, 2003 *versus* 2005, 179
- plaque. *See* oral care/oral care products
- poisons. *See* natural poisons
- polyacrylamides, 218
- polyaminopropyl biguanide. *See* PHMB
- polycyclic aromatic hydrocarbons. *See* PAH
- polyethylene glycol, 225
- polymethoxy bicyclic oxazolidine, frequency of use
2001 *versus* 2003, 113, 115, 116
2003 *versus* 2005, 179, 181
- polysiloxane/polysioxane-derived products, atypical cosmetics, 200
- polysorbate 80, 180
- polyvinyl alcohol, 218
- potassium sorbate, 58, 85. *See also* DU/OA
basic information, 126, 133, 150

- frequency of use
 - 2001 *versus* 2003, 112, 115
 - 2003 *versus* 2005, 178
- Potassium sorbate, NE, FCC, 150
- powders. *See* makeup powder preservation
- PPG-2 methyl ether, 119, 133
- p*-phenetidine, 219
- prebiotics, 8. *See also* probiotics
- preservative blends, 81–83, 118–137. *See also* preservatives
 - natural, 88–90
 - definition variations, 89–90
 - synthetic, 83–87
- preservative efficacy testing. *See* PET
- preservatives, 157–161. *See also* preservative blends
 - active compounds, 36
 - Annex VI-approved, 167–168
 - commercial products, 171–172
 - EEC Cosmetic Directive 76/768/EEC, 167
 - “illegal” preservatives, 172–175
 - natural ingredients, 168–170
 - natural processes, 170
 - packaging, 175–176
 - plant self-preservation, 170–171
 - boosters, 47–55
 - classes and mechanisms, 48–49
 - common preservatives, 137–156
 - evaluating, 44
 - K&M KoKo test, 60–65
 - legal issues, 111, 183
 - natural, 37–38
 - new sources, 161–164
 - organic acids, 57–59
 - versus* parabens, 59
 - PET (preservative efficacy testing), 200–201
 - acceptance criteria, 259–260
 - ADC (accelerated double challenge), 236–244
 - atypical cosmetics evaluation, 200–201
 - challenge test organisms, 232–233
 - D-value (decimal reduction time), 260–264
 - in-house methods of companies, 234
 - methodologies, 230–233
 - microbial safety factor of products, 266–268
 - objectives, 234–235
 - risk factors, 264–265
 - USP, EP, and CTFA method
 - comparison, 260–262
 - petrochemical, 35
 - registration of, 109–110, 182–184
 - restrictions
 - Annex VI, “*” on labels, 190–191
 - Annex VI, “illegal,” 172–175, 190–191
 - EU bans, sodium iodate, 189
 - versus* DU/OA, 60–65
 - water activity, 223–228
 - probiotics. *See also* prebiotics
 - benefits, 7
 - serums
 - acne treatments, 15
 - antiaging, 15
 - creating, 14
 - testing, 14–15
 - users, 15
 - skin microflora, similarities, 10–11
 - topical products, 9–10
 - product information packages. *See* PIP
 - propionic acid
 - Annex VI, “*” on labels, 190
 - frequency of use, 2003 *versus* 2005, 180
 - natural cosmetics, 35
 - propylene glycol, 54
 - basic information, 124, 133–137, 150, 158, 164–165
 - water activity, 225
 - propylene glycol caprylate, 68–79
 - propylene glycol heptanoate, 68–79
 - propylparaben, 82
 - basic information, 118–120, 122–123, 125, 127, 129–137, 150–152, 161, 164–165
 - frequency of use
 - 2001 *versus* 2003, 112, 115
 - 2003 *versus* 2005, 178
 - registration of preservatives, 184
 - pure epigallocatechin gallate. *See* PEGCG
 - PURELL Instant Hand Sanitizer, 366
 - pyruvate, 392, 393

Q

- QACs (quaternary ammonium compounds), 373, 374–377
- quaternium-15, 82
- basic information, 152, 165
 - frequency of use
 - 2001 *versus* 2003, 112, 115, 116
 - 2003 *versus* 2005, 178
- quaternium-73, frequency of use, 2003 *versus* 2005, 180

R

- recombinant products, 387–393
- resorcinol
- 2003 *versus* 2005, 178
 - coupling agent in hair dyes, 182

S

- salicylic acid, 35
- antifungal drugs, 307, 311
 - basic information, 120
 - exfoliant BHA use, 182
 - frequency of use
 - 2001 *versus* 2003, 112, 115
 - 2003 *versus* 2005, 178
- salt, 168
- SB (sodium benzoate), 54, 58, 85
- Annex VI changes, 217
 - basic information, 133
 - frequency of use
 - 2001 *versus* 2003, 112, 114
 - 2003 *versus* 2005, 178
 - Sodium benzoate, NF, FCC, 152
- SC (stratum corneum)
- neonatal skin, 17–19
 - acid mantle, 19–21
 - microbiology, 22–25
 - ZnCS studies, 324
- SCCP (Scientific Committee on Consumer Products) opinions, 189, 192–193, 217
- CMR (carcinogenic, mutagenic or toxic) materials, 218–219
 - colors, 218, 219–220
 - hair dye components, 193
 - human-origin products, 221
 - nanomaterials, 221
 - requests for opinions, 193–194
 - sebaceous glands, 23
 - sebum secretion, 23, 24–26
 - TEWL, 24–25, 27
 - vernix caseosa, 23–26
 - sebum secretion, sebaceous glands, 23, 24–26
 - Sensiva SC 50, 159
 - 7-ethylbicyclooxazolidine
 - basic information, 143, 162
 - frequency of use, 2003 *versus* 2005, 179
 - shampoos. *See* hair care products
 - Sharomix DMP, 135, 165
 - Sharomix DMP II, 135, 165
 - Sharomix MS, 165
 - Sharomix P, 165
 - Sharonox 2000, 132
 - silicone extraction compounds, 360–363
 - silver chloride
 - basic information, 158
 - frequency of use, 2003 *versus* 2005, 180
 - natural ingredients, 168–169
 - skin care products. *See also* hand/body care
 - lotions/creams
 - body spray, 43
 - zinc, 316
 - zinc oxide/zinc carbonate, 316–317
 - skin development. *See also* neonatal skin
 - adults, 17, 18
 - skin microflora
 - benefits, 8–9
 - normal microflora, bacterial microflora, 5–6
 - probiotics
 - serums, 14–15
 - similarities, 10–11
 - topical products, 9–10
 - S&M KoKo test, 60–65
 - soaps. *See also* bath products/shower gels;
wet wipes
 - liquid
 - microbial contamination, 264
 - water activity, 226
 - sodium benzoate. *See* SB
 - sodium bisulfite, frequency of use
 - 2001 *versus* 2003, 112, 115, 116
 - 2003 *versus* 2005, 178, 181
 - sodium borate, frequency of use, 2001 *versus* 2003, 112, 115

- sodium butylparaben, 136–137, 152–153
- sodium caprylate, 153
- sodium dehydroacetate
- basic information, 153
 - frequency of use
 - 2001 *versus* 2003, 112, 114
 - with dehydroacetic acid, 2003 *versus* 2005, 178
- sodium ethylparaben, 136–137, 153
- sodium hydroxymethylglycinate
- basic information, 153–154
 - frequency of use
 - 2001 *versus* 2003, 113, 115
 - 2003 *versus* 2005, 178
- sodium iodate
- banned as preservative by EU, 189, 191
 - frequency of use, 2003 *versus* 2005, 180
- sodium isobutylparben, 136–137
- sodium levulinate, 161
- sodium methylparaben
- basic information, 136–137, 154–155, 165–166
 - frequency of use
 - 2001 *versus* 2003, 113, 115
 - 2003 *versus* 2005, 178
- sodium polyacrylate, 121
- sodium propylparaben
- basic information, 136–137, 155–156, 166
 - frequency of use
 - 2001 *versus* 2003, 113, 115, 116
 - 2003 *versus* 2005, 179
- sodium shale oil sulfonate. *See* SSOS
- sodium sulfite, frequency of use
- 2001 *versus* 2003, 112, 115
 - 2003 *versus* 2005, 178
- sorbic acid, 58
- Annex VI, “*” on labels, 190
 - basic information, 150, 156
- Sorbic acid, NF, FCC, 156
- sorbic acid/potassium sorbate
- frequency of use
 - 2001 *versus* 2003, 112, 115
 - 2003 *versus* 2005, 178
 - natural ingredients, 168–169
- SSOS (sodium shale oil sulfonate), 330–333 *versus* CT (coal tar), study/results, 333–341
- steartrimonium chloride, 193
- sunscreens/sun care products
- cosmetics *versus* drugs, 196
 - PAO statement, 209
 - product safety, 213
- Suprapein, 88
- Suttocide A, 154
- ## T
- t-butyl alcohol, 180
- and brucine, 180
 - and sucrose octaacetate, 180
- tea tree oil, 54–55
- thimerosal, frequency of use
- 2001 *versus* 2003, 113, 115, 116
 - 2003 *versus* 2005, 179, 181
- thymol
- frequency of use, 2003 *versus* 2005, 179
 - use of alcohols, 2003 *versus* 2005, 180
- titanium dioxide
- basic information, 158
 - EU and FDA, 221
 - preservative, 158
- tocopherol
- basic information, 126
 - natural ingredients, 169
- tocopheryl acetate, 161
- toluene, 218
- toothpaste. *See* oral care/oral care products
- toxic materials. *See* CMR
- tree lichen extracts, 174
- tribromsalan, 370
- triclocarban
- Annex VI
 - “*” on labels, 190
 - changes, 217
 - frequency of use
 - 2001 *versus* 2003, 113, 115, 116
 - 2003 *versus* 2005, 179, 181
 - hand sanitizers, 368, 370, 377–378
- triclosan, 156
- basic information, 156
 - frequency of use
 - 2001 *versus* 2003, 112, 115
 - 2003 *versus* 2005, 178
 - hand sanitizers, 368, 370, 373
- triethanolamine, 371

triethylene glycol, 132, 137
Tristat D, 140
Tristat D2, 150
Tristat IU, 145
Tristat SDHA, 153
2003/15/CE directive, EU, 204–214
 issues besides PAO, 205
2-bromo-2-nitro-1,3-diol, frequency of use,
 2001 *versus* 2003, 112, 114
2-bromo-2-nitro-1,3-diol, frequency of
 use, 2003 *versus* 2005, 178
2-bromo-2-nitropropane-1,3-diol
 Annex VI, “*” on labels, 190
 basic information, 123, 128, 131–132,
 161–162, 164
2-phenoxyethanol, 123, 127, 129, 131

U

undecylenic acid and salts
 Annex VI, “*” on labels, 190
 frequency of use, 2003 *versus* 2005, 179
Unicat MM, 122
Unicide U-13, 146
Unicons M-50, 133
Unidiacide U-26, 140
Unigard AJ-92, 129
Unigard BJ-93, 133
Unigard G-90, 146
Unigard LJ-91, 119
Unigerm G-2, 134
Unikon A-22, 140
Uniphen P-23, 129
United Nations Food and Agriculture
 Organization, probiotics, 13
urea, 307, 311
Urisurpol S-25, 132
US Food and Drug Administration.
 See FDA
USP (United States Pharmacopoeia)
 PET methodologies, 230–233
 preservative efficacy testing, 258–268
 USP 28-day PET *versus* 14-day ADC
 PET, 239–244
UV (ultraviolet) radiation
 testing probiotic serums, 14
UVA, diethylamino hydroxybenzoyl
 hexyl benzoate, 216, 217

V

VCRP (Voluntary Cosmetic Registration
 Program), 177, 182, 183
vernix caseosa, 23–26
Vitamin E Acetate USP, 161
Vitamin E Tocopherol USP, 158
Voluntary Cosmetic Registration Program
 (VCRP), 177

W

water activity and cosmetic products,
 measuring, 224–226
 HACCP, 226–228
water (aqua), 121
wet wipes. *See also* bath products/shower
 gels; soaps
 CTFA, 345
 manufacturing, 348–349
 contamination prevention, 349,
 350–353
 market, 346
 substrates combined with liquids/
 lotions, 346–347
 controls, 347–348
World Health Organization, probiotics, 13

X–Z

zinc coceth sulfate. *See* ZnCS
zinc pyrithione, 317
 Annex VI changes, 191
zinc sulfophenate, 317
ZnCS (zinc coceth sulfate), 317, 319
 cleansing properties, 318
 stabilizing aqueous solutions,
 study/results, 318–324