

INDEX

A

- AAD (American Academy of Dermatology), 9
- ablative laser resurfacing, 67–68
 - clinical treatments, 455–457
 - home skin care, before and after, 438–440
- Açaí (*Euterpe oleracea*), 236
- acanthosis nigricans, 122
- acid mantle, 22
- acne management, 102–103, 323
 - LED (light-emitting diode) therapies, 465–468
- acne vulgaris, 100–101
- acrochordons, 88
- actinic comedones, 104
- actinic (solar) keratoses (AK), 75–76
- active ingredients
 - botanical ingredients, 193–198
 - cosmeceuticals, topical delivery, 343–344
 - failures, 147–148
 - versus* inactive ingredients, 149
- AD (atopic dermatitis), 82–84, 324
- ADN (associate degree in nursing), 4
- AGEs (advanced glycation end products), 170
- aging responsible interface (ARI) modulation, 176
- Agrimony (*Agrimonia eupatoria*), 236–237
- AHAs (alpha hydroxy acids)
 - acne treatments, 102–103

- with botanical antioxidants, 173
- chemical peels, 61–62
- cosmeceutical products, 156–158
- AK (actinic [solar] keratoses), 75–76
- ALES (ammonium laureth sulfate), 384
- alkaloid chemical class, SMs, 195–196
- allergic contact dermatitis, 80–82
- Almond (*Prunus dulcis*), 237
- Aloe (*Aloe barbadensis*, *A. carvensis*, *A. ferox*, *A. vera*), 237–238
- alpha hydroxy acids (AHAs)
 - acne treatments, 102–103
 - with botanical antioxidants, 173
 - chemical peels, 61–62
 - cosmeceutical products, 156–158
- alpha lipoic acid (thioctic acid), 166
- ALS (ammonium lauryl sulfate), 384
- American Academy of Dermatology (AAD), 9
- American Academy of Facial Plastic and Reconstructive Surgeons, 10–11
- American Academy of Otolaryngology, 10
- American Academy of Physician Assistants, 7
- American Board of Family Practice, 12
- American Board of Plastic Surgery, 10
- American Board of Surgery, 11
- American Cancer Society, 384
- American Chemical Society, 430
- American Society of Plastic and Reconstructive Surgeons (ASPRS), 10
- American White Pond Lily (*Nymphaea odorata*, *n. maximiliani*, *n. rosea*), 238–239
- ammonium laureth sulfate (ALES), 384
- ammonium lauryl sulfate (ALS), 384
- animal testing, 146–147
- antioxidants
 - alpha lipoic acid (thioctic acid), 166
 - botanical ingredients, 223–230
 - genistein, 167
 - ubiquinone (CoQ10), 166–167
- Apple (*Malus domestica*), 239
- Apricot (*Prunus armeniaca*), 239–240
- Arbutin, 240
- Argan (*Argania spinosa*), 240–241

ARI (aging responsible interface) modulation, 176
Arnica (*Arnica montana*), 241
ASPRS (American Society of Plastic and Reconstructive Surgeons), 10
associate degree in nursing (ADN), 4
atopic dermatitis (AD), 82–84, 324
atopic skin care regimens, 435–436
Avocado (*Persea americana*), 241–242

B

Bachelor of Science in nursing (BSN), 4
BBL (broadband-based light) therapy, 66
Behen (*Moringa oleifera*), 242
benzoyl peroxide, 103
BHAs (beta hydroxy acids)
 acne treatments, 102–103
 chemical peels, 61
 cosmeceutical products, 156, 158
Bilberry (*Vaccinium myrtillus*), 242–243
biochemical topical delivery of cosmeceuticals, 358–367
bipolar radio frequency devices, 63
Bistort (*Polygonum bistorta*), 243
Bittersweet (*Solanum dulcamara*), 243–244
Black Cohosh (*Cimicifuga racemosa*), 244
Black Nightshade (*Solanum nigrum*), 244–245
Blueberry (*Vaccinium angustifolium*), 245
Bogbean (*Menyanthes trifoliata*), 245–246
Boldo (*Peumus boldus*), 246
Borage (*Borago officinalis*), 247
botanical cosmeceutical ingredients, 189–191
 active compounds, 218–223
 active ingredients, 193–198
 adverse events/death, 191–192, 329–334
 antioxidants, 223–230
 atrophy and laxity treatments, 233
 compendiums, 193
 esthetic uses, 202–204
 extrinsic aging, 234–235, 324–328
 hyperpigmentation treatments, 231–232
 inflammation reduction, 223–230

- organic products, 134–136
- photosensitivity protection, 235
- preparation, 198–202
- prescription medication interactions, 328–334
- regulations, 192–193
- skin barrier repair, 232–233
- skin cancer protection, 235
- skin diseases and conditions, 323–328
- skin firmness, 233
- SMs (secondary metabolites), 193–198, 223–230
- Bowen’s Disease (squamous cell carcinoma in situ), 79
- Boxwood (*Buxus sempervirens*), 247–248
- broadband-based light (BBL) therapy, 66
- Bromelain (*Ananas comosus*), 248
- BSN (Bachelor of Science in nursing), 4
- Buckwheat (*Fagopyrum esculentum*), 248–249
- Burdock (*Arctium lappa*, *A. minus*, *A. tomentosum*), 249
- Burning Bush (*Dictamnus albus*), 249–250
- Burr Marigold (*Bidens tripartita*), 250
- Butcher’s Broom (*Ruscus aculeatus*), 250

C

- Cabbage (*Brassica oleracea*), 251
- Caffeine, 252
- Calotropis (*Calotropis procera*), 251
- cancer
 - and botanical ingredients, 235
 - and diet, 80, 449
- Candelilla (*Euphorbia antisiphilitica*), 252
- candidiasis, 93–94
- carotenoids, 196, 252–253
- carotenosis, 122
- carrier peptides, 181–182
- Carrot, wild (*Daucus carota*), 253
- Cashew (*Anacardium occidentale*), 253–254
- Castor Bean (*Ricinus communis*), 254
- Cat’s Claw (*Uncaria guianensis*, *U. tomentosa*), 255
- Cedar, Lebanon (*Cedrus libani*), 255
- cell signaling, 169–170

- cellulite, 443–445
- certification. *See* licensing/certification
- certification in medical assisting. *See* MA (medical assistant)
- Chamomile [German type] (*Matricaria recutita*), 256
- Chasteberry (*Vitex agnus-castas*), 257
- Chaulmoogra (*Hydnocarpus kurzii*), 257
- chemical peels, 60–63
- Chickweed (*Stellaria media*), 258
- Chicory (*Cichorium intybus*), 258
- chiral correctness, 176
- CIR (Cosmetic Ingredient Review), 381, 430
- cleansers, 417–420
- client forms for estheticians
 - consultation, 405–407
 - informed consent and release, 405, 410–413
 - photography release, 405, 408
 - treatment, 405, 409
- clinical trials, cosmeceutical products
 - animal testing, 146–147
 - terminology, 143–144
 - withholding data, 144
- Club Moss (*Lycopodium clavatum*), 259
- CMA (certification in medical assisting). *See* MA (medical assistant)
- Cocoa (*Theobroma cacao*), 259
- Coconut (*Cocos nucifera*), 260
- Coffeeberry (*Coffea arabica*), 260–261
- Comfrey [Allantoin] (*Symphytum officinale*), 261
- Consumer Ingredient Review, 384
- contact irritant reaction dermatitis, 84
- controversial cosmeceutical ingredients, 371–372, 375–377
 - emollients, 374
 - flavonoids, 389–390
 - humectants, 374
 - lavender, 383
 - mineral oil, 377–380
 - moisturizers, 373, 375
 - nanotechnology, 391–394
 - occlusives, 373
 - parabens, 380–381
 - petrolatum, 377–380

- phthalates, 385
- phytoestrogens, 382–383
- probiotics, 385–387
- stem cell technology, 387–389
- sulfates, 384
- copper, 168–169
- CoQ10 (ubiquinone), 161, 166–167
- Coriander (*Coriandrum sativa*), 261–262
- corneocytes, 22, 28
- Cornflower (*Centaurea cyanus*), 262
- cosmeceuticals. *See also* skin care products
 - clinical trials
 - animal testing, 146–147
 - terminology, 143–144
 - withholding data, 144
 - criteria for recommendations, 144–146
 - evaluation of claims, 139–141
 - evidence-based science, 141–142
 - ingredients, botanical, 189–191
 - active compounds, 218–223
 - active ingredients, 193–198
 - adverse events/death, 191–192, 329–334
 - antioxidants, 223–230
 - atrophy and laxity treatments, 233
 - compendiums, 193
 - esthetic uses, 202–204
 - extrinsic aging, 234–235, 324–328
 - hyperpigmentation treatments, 231–232
 - inflammation reduction, 223–230
 - organic products, 134–136
 - photosensitivity protection, 235
 - preparation, 198–202
 - prescription medication interactions, 328–334
 - regulations, 192–193
 - skin barrier repair, 232–233
 - skin cancer protection, 235
 - skin diseases and conditions, 323–328
 - skin firmness, 233
 - SMs (secondary metabolites), 193–198, 223–230

- ingredients, controversial, 371–372, 375–377
 - emollients, 374
 - flavonoids, 389–390
 - humectants, 374
 - lavender, 383
 - mineral oil, 377–380
 - moisturizers, 373, 375
 - nanotechnology, 391–394
 - occlusives, 373
 - parabens, 380–381
 - petrolatum, 377–380
 - phthalates, 385
 - phytoestrogens, 382–383
 - probiotics, 385–387
 - stem cell technology, 387–389
 - sulfates, 384
- ingredients, failures of active, 147–148
- ingredients, natural or organic, 133–137
- regulations, 127–132
- topical delivery, 344–351
 - active ingredients, 343–344
 - biochemical methods, 358–367
 - dermatopharmacokinetics, 345
 - external energy methods, 352–358
 - optimal concentrations, 344
 - SCB (stratum corneum barrier), bypassing, 358
 - transdermal methods, 367
- Cosmetic Ingredient Review (CIR), 381, 430
- cosmetics
 - clinical studies, 130–131
 - Fair Packaging and Label Act, 130
 - Federal Trade Commission, 130
 - Food and Drug Administration, 128–129
- cosmetic surgeons, 10–11
- Cotton (*Gossypium hirsutum*), 262
- Cranberry (*Vaccinium macrocarpon*, v. *oxycoccus*, v. *erythrocarpus*), 263
- Cryptomphalus aspersa*, 319
- Cucumber (*Ecballium elaterium*), 263
- Cucumber, wild (*Cucumis sativus*), 263
- Curcumin [from Turmeric] (*Curcuma longa*, c. *domestica*), 264

D

- Dandelion (*Taraxacum officinale*), 265
- Date Palm (*Phoenix dactylifera*), 265–266
- DBP (dibutyl phthalate), 385
- DCNP (Dermatology Certified Nurse Practitioner), 8
- DEP (diethyl phthalate), 385
- Department of Agriculture, 134
- dermabrasion, 60
- dermatitis
 - AD (atopic dermatitis), 82–84, 324
 - allergic contact, 80–82
 - contact irritant reaction, 84
 - perioral, 85
 - radiation-induced, with herbs, 324
 - seborrheic, 86–87
- dermatologists
 - licensing/certification, 9
 - training, 9
- Dermatology Certified Nurse Practitioner (DCNP), 8
- Dermatology Nurses' Association (DNA), 8
- dermatopharmacokinetics, 345
- dermis, 24–25
- desquamation, 22, 28
- DHEA (dihydroepiandrostrone), 169
- diabetes-related diseases, 120–124
- diabetic bullosis, 121
- diabetic dermopathy, 121
- dibutyl phthalate (DBP), 385
- diet
 - and cancer, 80
 - and skin diseases and conditions, 445–451
- diethyl phthalate (DEP), 385
- dihydroepiandrostrone (DHEA), 169
- dimethylaminoethanol (DMAE), 169–170
- dimethyl phthalate (DMP), 385
- DMAE (dimethylaminoethanol), 169–170
- DMP (dimethyl phthalate), 385
- DNA (Dermatology Nurses' Association), 8
- DNA products, 183–184

DO (Doctor of Osteopathy), 11
 dry skin care regimens, 431–433
 Dupuytren's contractures, 123–124

E

eccrine glands, 22
 Echinacea (*Echinacea angustifolia*, *E. pallida*, *E. purpurea*), 267
 Edelweiss, 267–268
 emollients, 374
 Emu Oil, 323
 endocrinologists, 12
 English Ivy (*Hedera helix*), 268
 ephelides (freckles), 111–112
 epidermis, 24, 25–27
 eruptive xanthomas, 122
 erysipelas-like erthema, 122
 esthetics, word origin, 1
 estheticians

- client forms
 - consultation, 405–407
 - informed consent and release, 405, 410–413
 - photography release, 405, 408
 - treatment, 405, 409
- clinical treatments, 453
 - ablative, 455–457
 - anti-aging, facial, 462–464
 - combinations, 469–470
 - deep cleansing pore, 459–461
 - facial surgeries, pre/post, 457–458
 - KP (keratosis pilaris), 464–465
 - LED photorejuvenation, 465–468
 - nonablative, 454–455
 - rosacea/sensitive skin—rebalancing, 461–462
- consultation process
 - client's initial impression, 402
 - consultant's role, 403–405
 - importance, 401–402
 - receptionist's role, 402–403
- home skin care products, 397–398

- cleansers, 417–420
 - for men, 417
 - moisturizers, 425
 - private *versus* brand name, 398–401
 - problems, dark circles, eyelids, 425–427
 - problems, pore size, 422–423
 - quality grades of ingredients, 429–431
 - questions before recommendations, 414–416
 - regimens, for dry skin, 431–433
 - regimens, for male skin, 437–438
 - regimens, for normal skin, 433–434
 - regimens, for oily and problem skin, 434–435
 - regimens, for sensitive and atopic skin, 435–436
 - regimens, for teen skin, 436–437
 - rejuvenation procedures, before and after, 438–440
 - sunscreens, 427–428
 - toners/clarifiers, 420–422
 - for treatments, 424–425, 453–454
- medical specialties adding services, 471–472, 480
 - advertising, 477, 479
 - hiring and staffing, 474
 - independent contractors, 475
 - marketing, 477–478
 - prepurchase considerations, 472–474
 - public relations, 477, 479–480
 - staff's role in success, 475–477
- working relationships with physicians, 12–13
 - medical spas, 17–19
 - physician preferences, 13–14
 - physicians' orders, 15
 - physician traits/background, 14
 - team spirit, 15–16
- Eucalyptus (*Eucalyptus globulus*), 269
- Evening Primrose (*Oenothera biennis*), 268–269
- Evodia (*Evodia rutaecarpa*, e. *officinalis*), 269–270
- exercise, 442–443
- exfoliating/resurfacing treatments, 57–58. *See also* laser and light therapies
 - chemical peels, 60–63
 - cosmeceutical products, 156–159

dermabrasion, 60
 microdermabrasion, 59–60

F

facial plastic surgeons

American Academy of Facial Plastic and Reconstructive Surgeons, 10–11

American Academy of Otolaryngology, 10

licensing/certification, 10

Fair Packaging and Label Act, 130

family/general practitioners, 12

FDA (Food and Drug Administration), 128–129, 430

Federal Trade Commission (FTC), 130

Fennel (*Foeniculum vulgare*), 270

Fenugreek (*Trigonella foenum-graecum*), 270

Ferulic Acid, 271

Feverfew (*Tanacetum parthenium*), 271–272

Field Sorrel [Tyrostat™] (*Rumex crispus*), 272

Fitzpatrick scale, 416

5-Fluorouracil, 175

flavonoids, 196–197, 389–390

Flax (*Linum usitatissimum*), 273

follicular diseases, 100–110

folliculitis, 104–105

Food and Drug Administration (FDA), 128–129, 430

Foxglove (*Digitalis purpurea*), 273

fractional laser resurfacing, 68–69

Frankincense (*Boswellia carteri*, *B. sacra*, *B. serrata*), 274

freckles (ephelides), 111–112

fruit enzymes, 61

FTC (Federal Trade Commission), 130

furuncle, 105

G

Garlic (*Allium sativum*), 274–275

genistein, 167

Ginger (*Zingiber officinale*), 275

Ginkgo (*Ginkgo biloba*), 275–276

Ginseng

American (*Panax quinquefolius*), 276

Asian (*Panax ginseng*), 277
Siberian (*Eleutherococcus senticosus*), 277
glucosinates, 198
glycation inhibitors, 170
Goji Berry [Wolfberry] (*Lycium barbarum*, *L. chinense*), 278–279
Golden Fern (*Polypodium leucotomos*), 278
Gotu Kola (*Centella asiatica*), 279
granuloma annulare, 122
Grape (*Vitis vinifera*), 279–280
Grapefruit (*Citrus paradisi*), 280
Ground Ivy (*Glechoma hederacea*), 281
Guava (*Psidium guajava*), 281
gynecologists, 12

H

Heather (*Calluna vulgaris*), 282
Helix aspera muller, 319
Hemp [Marijuana] (*Cannabis sativa*), 282
Henna (*Lawsonia inermis*), 282–283
herpes simplex, 94–95
herpes zoster, 95–96
Hibiscus (*Hibiscus sabdariffa*), 283
home skin care products, 397–398. *See also* cosmeceuticals
cleansers, 417–420
for men, 417
moisturizers, 425
private *versus* brand name, 398–401
problems
dark circles, eyelids, 425–427
pore size, 422–423
quality grades of ingredients, 429–431
questions before recommendations, 414–416
regimens
for dry skin, 431–433
for male skin, 437–438
for normal skin, 433–434
for oily and problem skin, 434–435
for sensitive and atopic skin, 435–436
for teen skin, 436–437

- rejuvenation procedures, before and after, 438–440
- sunscreens, 427–428
- toners/clarifiers, 420–422
- for treatments, 424–425
- Hops (*Humulus lupulus*), 283–284
- Horse Chestnut (*Aesculus hippocastanum*), 284
- humectants, 374
- hyperpigmentation, 112–115, 231–232, 324
- hyperproliferation, 88–92
- hypoallergenic products, 87
- hyporpigmentation (post-inflammatory), 115

I

- ichthyosis vulgaris, 89
- Imiquimod, 175
- impetigo, 96–97
- inactive ingredients *versus* active ingredients, 149
- inflammation
 - foods, anti-inflammatory, 449
 - reduction with botanical ingredients, 223–230
 - skin diseases and conditions, 80–87
- infrared light, 63
- insurance, medical malpractice, 8–9
- intense pulsed light (IPL), 66
- internists, 12
- IPL (intense pulsed light), 66
- Isopropyl alcohol, 102

J

- Japanese Mint (*Mentha arvensis* var. *piperascens*, *M. canadensis*), 285
- Jessner's Solution, 61–62
- job responsibilities
 - LE (licensed esthetician), 2–3
 - LPN (Licensed Practical Nurse), 5
 - MA (medical assistant), 5
 - NP (nurse practitioner), 7–8
 - PA (Physician Assistant), 6–7
 - RN (Registered Nurse), 5
- Jjoba (*Simmondsia chinensis*), 285

K

- keratosis pilaris (KP), 106, 464–465
- keto acids
 - acne treatments, 103
 - cosmeceutical products, 156
- Kojic acid, 319–320
- KP (keratosis pilaris), 106, 464–465
- Kukui [Tung seed] (*Aleurites cordatus*), 286

L

- LAA (L-ascorbic acid), 163–165
- lamellae, 22
- Lanolin, 320–321
- L-ascorbic acid (LAA), 163–165
- laser and light therapies, 64. *See also* exfoliating/resurfacing treatments
 - BBL (broadband-based light), 66
 - IPL (intense pulsed light), 66
 - laser resurfacing, 66–67
 - ablative, 67–68
 - fractional, 68–69
 - nonablative, 68
 - LED (light-emitting diode), 65, 465–468
 - PDT (photodynamic therapy), 66
- laser resurfacing, 66–67
- lavender, 383
- Lavender (*Lavandula angustifolia*), 286–287
- LE (licensed esthetician)
 - basics, 1–2
 - esthetics, origin, 1
 - job responsibilities, 2–3
 - licensing/certification, 2
 - official esthetician titles, U.S., 2
 - training, 2
- LED (light-emitting diode) therapies, 65, 465–468
- Lemon (*Citrus limon*), 287
- lentigos, 110–111
- licensed esthetician. *See* LE
- licensing/certification
 - dermatologists, 9

- facial plastic surgeons, 10
- LE (licensed esthetician), 2
- LPN (Licensed Practical Nurse), 4
- MA (medical assistant), 4
- NP (nurse practitioner), 7–8
- ophthalmic surgeons, 11
- PA (Physician Assistant), 6
- Licorice (*Glycyrrhiza glabra*), 287–288
- light-emitting diode (LED), 65, 465–468
- light therapies. *See* laser and light therapies
- lipids and skin barrier repair, 171–173
 - topical delivery of cosmeceuticals, 362
- LPN (Licensed Practical Nurse)
 - job responsibilities, 5
 - licensing/certification, 4
 - training, 4

M

- MA (medical assistant)
 - job responsibilities, 5
 - licensing/certification, 4
 - training, 4
- Macadamia (*Macadamia integrifolia*, *M. tetraphylla*), 289
- malpractice insurance policies, 8–9
- Mangosteen (*Garcinia mangostana*), 289
- Marigold (Scotch—*Calendula officinalis*), 290
- Marshmallow (*Althaea officinalis*), 290–291
- Meadowfoam (*Limnanthes alba*), 291
- medical malpractice insurance policies, 8–9
- medical spas, 17–19
- medical specialties adding esthetician services, 471–472, 480
 - advertising, 477, 479
 - hiring and staffing, 474
 - independent contractors, 475
 - marketing, 477–478
 - prepurchase considerations, 472–474
 - public relations, 477, 479–480
 - staff's role in success, 475–477
- melanocytic diseases, 110–119

- men and skin care, 417
 - regimens, 437–438
- Mequinol (4-hydroxyanisole), 321
- Methicillin-Resistant Staphylococcus Aureus (MRSA), 118–119
- microbial infections, 93–100
- microcapsules, 361
- microdermabrasion, 59–60
- Milk Thistle (*Silybum marinium*), 291–292
- mineral oil, 377–380
- minerals, 168–169
- moisturizers, 373, 375, 425
- molluscum contagiosum, 97–98
- MRSA (Methicillin-Resistant Staphylococcus Aureus), 118–119
- Mulberry (*Morus alba*, *m.nigra*), 292
- Mushrooms, 321–322
- mycobacterial infections, 118
- Myrrh [Guggal] (*Commiphora molmol*, *C. myrrha*, *C. wightii*), 292–293

N

- nanotechnology, 174–175
 - controversial cosmeceutical ingredients, 391–394
 - topical cosmeceutical delivery, 361–362
- National Toxicology Program (NTP), 384
- natural ingredients, 133–137
- NDA (New Drug Application), 128
- necrobiosis lipoidica diabetorum, 121
- Neem (*Azadirachta indica*, syn. *Antelaea azadirachta*, *Melia azadirachta*), 293
- neurotransmitter modulating peptides, 182–183
- New Drug Application (NDA), 128
- nonablative laser resurfacing, 68
 - clinical treatments, 454–455
 - home skin care, before and after, 438–440
- nonallergenic products, 87
- Noni [Ba Ji Tian] (*Morinda officinalis*), 293–294
- non-lipid particles, 362–363
- normal skin care regimens, 433–434
- NP (nurse practitioner)
 - job responsibilities, 7–8
 - licensing/certification, 7–8
 - training, 7

NTP (National Toxicology Program), 384

O

Oat (*Avena sativa*), 294–295

occlusives, 373

occult sensitive skin conditions, 76–78

Occupational Safety and Health Administration (OSHA), 384

oculoplastic surgeons, 11

oily and problem skin care regimens, 434–435

Olive (*Olea europaea*), 295

Onion (*Allium cepa*), 295–296

ophthalmic surgeons, 11

oral maxillofacial surgeons, 11

Oregon Grape Root (*Berberis aquifolium*), 296–297

organic ingredients, 133–137

 definition by Department of Agriculture, 134

OSHA (Occupational Safety and Health Administration), 384

OTC (over-the-counter) drugs, 128–129, 131–132

otolaryngology, 10

P – Q

PA (Physician Assistant), 5

 job responsibilities, 6–7

 licensing/certification, 6

 training, 6

panthenol, 161

Papaya (*Carica papaya*), 297

Paper mulberry (*Broussonetia papyrifera*), 297

papilloma, 88

parabens, 380–381

PB (permeability barrier), 22, 31–38

 function and repair, 51–53

 impact on skin care professionals, 38–39

PDT (photodynamic therapy), 66

Peanut Oil (*Arachis hypogaea*), 298

Pear (*Pyrus communis*), 298

Peppermint (*Mentha piperita*), 299

peptides, 179–183

perioral dermatitis, 85

Personal Care Products Council (formerly CTFA), 430–431
petrolatum, 377–380
pharmaceuticals, 128
PHAs (poly hydroxy acids)
 cosmeceutical products, 156–158
phenol, 61–62
phenolic chemical class, SMs, 196
phenylpropanoids, 196–197
photodynamic therapy (PDT), 66
phthalates, 385
phylloquinone, 163
Physician Assistants. *See* PA
phytoestrogens, 382–383
Pineapple (*Ananas comosus*), 299–300
Plantain (*Musa paradisiaca*), 300
plastic surgeons, 10
poikiloderma of civatte, 115–116
poly hydroxy acids (PHAs), 156–158
polyketides, 198
polyphenols, 196
polysaccharides, 198
Pomegranate (*Punica granatum*), 300–301
prescription products, 175–176
 interactions with botanical ingredients, 328–334
Prickly pear (*Optunia ficus-indica*), 301
probiotics, 322, 385–387
psoriasis, 89–91, 324
Pumpkin (*Cucurbita pepo*), 301–302
Pycnogenol® (*Pinus pinaster*), 302
pyruvic acid
 acne treatments, 103
 cosmeceutical products, 156

quercetin, 390

R

radio frequency devices, 63
reconstructive plastic surgeons, 10–11
Red Clover (*Trifolium pratense*), 302–303

resurfacing treatments. *See* exfoliating/resurfacing treatments

Resveratrol, 303–304

retinoids

- chemical peels, 61
- vitamin A, 154–155

RN (Registered Nurse)

- job responsibilities, 5
- training, 4–5

roles, 30

Rooibos (*Aspalataus linearis*), 304

rosacea, 106–109, 324, 461–462

Rose geranium (*Pelargonium graveolens*), 304–305

Rose Hips (*Rosa canina*, *R. moschata*, *R. centifolia*), 305

Rosemary (*Rosmarinus officinalis*), 305–306

rubeosis, 122

Rucinol (4-n-butyl resorcinol), 323

rutin, 390

S

Safflower (*Carthamus tinctorius*), 306

Sage (*Salvia officinalis*), 306

salicylic acid, 61–62

Sarsaparilla (*Smilax ornata*, *S. aristolochiifolia*), 307

Saw Palmetto (*Serenoa repens*), 307

SC (stratum corneum), 22, 27–30

- PB (permeability barrier), 31–38
 - function and repair, 51–53
 - impact on skin care professionals, 38–39

scabies, 117–118

SCCP (Scientific Committee on Consumer Products) of European Commission, 381

scleroderma diabeticorum, 121

sebaceous hyperplasia, 110

seborrheic dermatitis, 86–87

seborrheic keratosis, 78–79

sebum, 22

selenomethionine, 168

sensitive skin conditions, 76–78

- care regimens, 435–436

- Sesame (*Sesamum orientale*), 308
- Shea Butter (from *Vitellaria paradoxa*), 308
- signal peptides, 180–181
- single nucleotide polymorphisms (SNPs), 183
- sirtuins, 173–174
- skin
 - function, 21–23
 - health concepts, 50–51
 - structure, 22–30
- skin aging, intrinsic *versus* extrinsic factors, 47–49
- skin barrier repair, 171–173
 - botanical ingredients, 232–233
- skin care products, 397–398. *See also* cosmeceuticals
 - cleansers, 417–420
 - for men, 417
 - moisturizers, 425
 - private *versus* brand name, 398–401
 - problems
 - dark circles, eyelids, 425–427
 - pore size, 422–423
 - quality grades of ingredients, 429–431
 - questions before recommendations, 414–416
 - regimens
 - for dry skin, 431–433
 - for male skin, 437–438
 - for normal skin, 433–434
 - for oily and problem skin, 434–435
 - for sensitive and atopic skin, 435–436
 - for teen skin, 436–437
 - rejuvenation procedures, before and after, 438–440
 - sunscreens, 427–428
 - toners/clarifiers, 420–422
 - for treatments, 424–425
- skin diseases and conditions, 30–31, 70–73. *See also* specific diseases and conditions
 - botanical ingredients, 323–328
 - therapeutic options
 - cellulite, 443–445
 - diet, 445–451
 - exercise, 442–443

- lifestyles, 441–442
 - stress reduction, 451–452
- skin growth factors, 176–179
- skin tags, 88
- skin tightening devices, 63–64
- SLES (sodium laureth sulfate), 384
- SLS (sodium lauryl sulfate), 384
- SMs (secondary metabolites), 193–198, 223–230
- SNPs (single nucleotide polymorphisms), 183
- solar elastosis, 91
- Soy (*Glycine max*, g. soya), 309–310
- Spearmint (*Mentha spicata*), 309
- SPF (Sun Protection Factor), 149–152
- spices, 327–328
- squamous cell carcinoma in situ (Bowen's Disease), 79
- statis dermatitis, 324
- stem cell technology, 387–389
- St. John's Wort (*Hypericum perforatum*), 310
- strontium nitrate, 169
- subcutis, 24
- sulfates, 384
- Sun Protection Factor (SPF), 149–152
- sunscreens, 149–153, 427–428
 - botanical ingredients, 235, 326
 - Fitzpatrick scale, 416
- Sweet Clover (*Melilotus officinalis*), 311
- Sweet Orange (*Citrus sinensis*), 311

T

- Tamarind (*Tamarindus indica*), 312
- TCA (trichloroacetic acid), 61–62
- Teas: Green, black, white, oolong, 312–313
- Tea Tree Oil (*Melaleuca alternifolia*), 314
- teen skin care regimens, 436–437
- telangiectasias, 92
- terpenoid chemical class, SMs, 195
- thioctic acid (alpha lipoic acid), 166
- Thyme (*Thymus vulgaris*), 314–315
- Tigernut (*Cyperus esculentus*), 315

- tinea (fungal), 98–99
- tocopherol, 161–162
- Tomato (*Lycopersicon esculentum*), 315–316
- toners/clarifiers, 420–422
- topical cosmeceutical delivery, 344–351
 - active ingredients, 343–344
 - biochemical methods, 358–367
 - dermatopharmacokinetics, 345
 - external energy methods, 352–358
 - optimal concentrations, 344
 - SCB (stratum corneum barrier)
 - bypassing, 358
 - transdermal methods, 367
- training
 - dermatologists, 9
 - DO (Doctor of Osteopathy), 11
 - LE (licensed esthetician), 2
 - LPN (Licensed Practical Nurse), 4
 - MA (medical assistant), 4
 - NP (nurse practitioner), 7
 - oral and maxillofacial surgeons, 11
 - PA (Physician Assistant), 6
 - RN (Registered Nurse), 4–5
- transdermal topical delivery of cosmeceuticals, 367
- tretinoin, 153, 155, 157
- trichloroacetic acid (TCA), 61–62

U

- ubiquinone (CoQ10), 161, 166–167
- United States
 - Department of Agriculture, 134
 - Fair Packaging and Label Act, 130
 - FDA (Food and Drug Administration), 128, 430
 - FTC (Federal Trade Commission), 130
 - OSHA (Occupational Safety and Health Administration), 384
 - USP (United States Pharmacopeia), 378, 430
- UVA/UVB radiation, 150–152

V

- venous insufficiency, 324
- verrucae (warts), 99–100
- visible sensitive skin conditions, 76–78
- vitamins
 - A and aging, 153–156
 - B3, 160–161
 - B5—panthenol, 161
 - C: L-ascorbic acid, 163–165
 - D, sunscreen controversy, 153
 - E (tocopherol), 161–162
 - K: phylloquinone, 163
- vitiligo, 116–117

W – Z

- Walnut (*Juglans regia*), 316
- warts (verrucae), 99–100
- waxy skin, 121
- White sandalwood (*Santalum album*), 316–317
- White Willow (*Salix alba*), 317
- Wild Yam (*Dioscorea villosa*), 317–318
- Witch Hazel (*Hamamelis virginiana*), 318–319

- zinc, 168

