

Index

A

- acne, 381–382
 - DLTP (disodium laurimino-dipropionate tocopheryl phosphate) use, 231–234
 - erythema studies/results, 232–236
 - sun effects, 42–43
 - sunscreens, 43–44
 - experiments, 44–55
- acrylates copolymers
 - film-forming polymers, 180–181, 186–187
 - silicone-based delivery, 161–162
- acrylates/octylacrylamide copolymers, 180, 181
- acrylic-based film-forming polymers, 186–187
- alkylmethylsiloxanes (AMS), 73–75, 163–169
- aminobenzoic acid (PABA)
 - FDA approved sunscreen actives, 87
 - PABA-free claim, 113
- AMP (antimicrobial peptides), 379–380
- AMS (alkylmethylsiloxanes), 73–75, 163–169
- antiaging prevention/repair. *See also* photoaging prevention/repair
 - antioxidants, 191–192
 - definition, 95
 - environmental stress, 139–141
 - French rose petal extract
 - cellular oxidant production, 144
 - hydroxyl damage, 145–146
 - UVA/UVB protection, 141, 142–143, 146–147
- sunscreens
 - active ingredients, 94–95
 - botanicals, 98–99
 - catalase, 98–101
 - enzymes, 98, 99–101, 103
 - formulation issues, 105–106
 - glutathion peroxidase, 98–101
 - SOD (superoxide dismutase), 99
 - UV-induced age symptom treatment, 101–105
 - vitamins, 95–98
 - tetrahydrocurcuminoids, 192–195
 - and curcuminoids, 196–198
 - formulations, 196–198
 - inflammation, 195–196
 - and tetrahydropiperine, 197, 199
 - tocopherols, 119
- anti-inflammation. *See* inflammation/anti-inflammation
- antimicrobial peptides (AMP), 379–380
- ASEAN regulations, 405
- Australia
 - AAN (Australian Adopted Names)
 - cross-references of sunscreen names, 434–437
 - sunscreen regulations, 405, 433
 - UV filter naming, 437–438
- avobenzonone, 5, 6
 - crystallizing during storage/shipment, 60
 - FDA approved sunscreen actives, 87, 440
 - fluorescence, 25–31
 - photostability, 8–9
 - sunscreen preservation, 90

B

- barrier repair, skin surface, 101–103
- BEMT (Bis-ethylhexyloxyphenol methoxyphenyl triazine), 9–11
- bicinchoninic acid (BCA) assay, 291
- bis-ethylhexyloxyphenol methoxyphenyl triazine, 224
- Bis-ethylhexyloxyphenol methoxyphenyl triazine (BEMT), 9–11

botanicals in sunscreens, 98–99
 butyl methoxydibenzoylmethane
 (BMDM), 221–222
 UV absorbers, 223–225

C

Canada, sunscreen regulations, 405
 canola oils, 117–118
 anti-inflammation properties, 124
 phytosterols/tocopherols, 118–119
 application examples, 125–126
 carbinol fluid, 162–163
 catalase, 98–101, 289–295
 cationic siloxane copolymers,
 polysilicone-19 (PS-19), 239
 ceramides (CER)
 environment stress, overcrowding, 153
 role, 151–152
 tape stripping, 152–153
 UV-induced aging symptoms, 102
 Chinese medicinal plant materials, 280
 melanin biosynthesis, 280, 281–286
 chromophores, excited state energy, 16–20
 cinoxate, 87
citrullus lanatus. *See* watermelon
 claims
 skin physiology
 blood circulation, 389–391
 cell turnover, 391
 collagen formation, 391–393
 enzymes, 393–394
 photodamage, 394
 reduction of lines, 397–400
 sebum regulation, 393
 skin properties, 394–396
 wrinkles, 397–400
 sunscreens
 SPF, 113–114
 tanning as drug, 116
 waterproof, 115
 COLE (canola oil liquid emollient), 118
 anti-inflammation properties, 124
 application examples, 125–126
 OSI (Oxidative Stability Index),
 119–120
 photooxidation protection, 120–124

collisional electron transfers, 21
 coloring hair. *See* hair care
 conditioners for hair. *See* hair care
 Coulombic interactions, 20–21, 24
 curcuminoids and
 tetrahydrocurcuminoids, 196–198
 cysteyle-glycin dipeptide.
 See (Cys-Gly)₂dimer peptide

D

Deactivation of Excited States by Emissions
 and Radiationless, 17–19
 dehydroxanthan gum, 186–187
 delivery systems
 categories, 72
 hair care
 quaternary polymers, 79–80
 silicone polyether, 77–82
 silicone-based, 76–77
 DEXSTER pathways, 17–19
 DHA (dihydroxyacetone), 440–441
 dibenzoylmethane derivatives, 5
 Diethylhexyl 2,6-naphthalate, 8
 dihydroxyacetone (DHA), 440–441
 dimethicone copolyols, 78, 80–82
 dioxybenzone, 87
 disodium lauriminodipropionate ditoco-
 pheryl phosphate, 231
 DLTP (disodium laurimino-dipropionate
 tocopheryl phosphate), 231. *See also*
 tocopherols
 acne studies/results, 231–234
 erythema studies/results, 232–236
 DNA protection/repair, 317–318
 CPDs (cyclobutane pyrimidine dimers),
 331–333
 studies, 334–338
 studies, results, 338–340
 tyrosine and proline, 333, 337
 (Cys-Gly)₂ dimer peptide, 289–295
 defense mechanisms, 318–319
 French rose petal extract, 146–147
 skin cancer, 404
 watermelon, 319–320
 comet assay/results, 321, 322–323
 plasmid assay/results, 320, 321

E

- ecamsule, 275–277
- elastomer emulsions, 170–174
- Encyclopedia of Ultraviolet Filters*, 406
- ensulizone, 6, 87, 440
- environmental stress
 - hair damage, 254–255
 - cigarette smoke, 255–256
 - ozone, 258–260
 - sulfur dioxide gas, 257
 - oxidative stress, 139–141
 - SPF 15 creams, 140
- EPS657, 202–203
- erythema, 317–318
 - CPDs (cyclobutane pyrimidine dimers), 332, 333
 - studies, 337
 - studies, results, 338
 - DLTP (disodium laurimino-dipropionate tocopheryl phosphate) use, 232–236
- ethylhexyl methoxycinnamate, 43
- ethylhexyl methoxycrylene, 26–31
- European Union
 - sunscreens
 - INCI cross-references of names, 434–437
 - regulations, 405
 - UV filter usage, 6
- exchange electron transfers, 21
- excited state energy, UV filter molecules.
See also singlet excited state; triplet excited state
 - chromophores, 16–20
 - DEXSTER pathways, 17–19
 - quenching, 20–23
- exopolysaccharides. *See* EPS657

F

- FDA (Food and Drug Administration)
 - regulations of OTC sunscreen products, 15, 85–86, 87
 - Mexoryl approval, 430–431
 - PR (Proposed Rules) amendment, 439–440
 - dosage forms, 444–445

- labeling requirements, 445–452
- photostability, 444
- skin bleaching, 432–433
- testing, in vivo and in vitro, 443–444
- testing, SPF, 441–442
- UVA determination, 365, 431–432, 442–443
- UVA determination, Playtex method, 368–372
- UVA determination, recognition of need, 365–368
- products
 - allowed, 114–115, 440
 - nanomaterial, 431
 - new, 115
 - rejected, 440–441
- sunscreen lawsuit, 431–432
- TEA (Time and Extent Application), 405, 451
- film-forming polymers, 178–179
- acrylates copolymers, 180–181, 186–187
- acrylates/octylacrylamide copolymers, 180, 181
- acrylic-based, 186–187
- dehydroxanthan gum, 186–187
- SPF enhancement, 180–187
- xanthan gum, 186–187
- fluorine and cyano acetic acid derivatives, 9
- Food and Drug Administration. *See* FDA
- fragrance evaluation, hair care products
 - silicone polyethers and quats, 78
 - silicone-based delivery, 76–77
- French rose petal extract
 - inhibiting
 - cellular oxidant production, 144
 - hydroxyl damage, 145–146
 - UVA/UVB protection, 141
 - cellular detoxification, 142–143
 - plasmid DNA, 146–147

G

- GA (galactoarabinan)
 - dispersion effects, 130–132
 - exfoliation of skin, 135
 - physical and chemical characteristics, 130

reduction
 of fine lines/wrinkles, 135–136
 particle size of emulsions, 130–134
 particle size of film-forming
 properties of GA, 132–134
 of TEWL, 134
 SPF testing, 132–134
 glutathion peroxidase, 98–101
 glutathione (GSH), 142
 ground state, UV filter molecules, 17–19
 quenching, 20–21, 23
 GSH (glutathione), 142

H

hair care
 keratin biopolymers, 252–254
 keratin IFP (intermediate filament
 protein), 252–253, 255
 photoaging prevention/repair, 383–384
 polysilicone-19 (PS-19), 240–243
 coloring, results, 247–249
 silicone-based delivery, 76–77, 174–175
 elastomer emulsions, 175
 HMW (ultra high molecular weight)
 emulsions, 175
 quaternary polymers, 79–80
 silicone polyethers, 77–82, 175
 UV filters, 408–409

hair damage
 environmental stress, 254–255
 cigarette smoke, 255–256
 keratin biopolymers, 256–260
 keratin IFP (intermediate filament
 protein), 256, 258
 ozone, 258–260
 sulfur dioxide gas, 257
 UV filters, 260–262

Herba menthae (HM), 280
 melanin biosynthesis, 281–286

high performance liquid chromatography
 (HPLC), 348–353

HMW (ultra high molecular weight)
 emulsions, 170

homosalate, 6, 87

HPLC (high performance liquid
 chromatography), 348–353

(HYD657) bacterium, 202
 hydrosoluble azelaic acid, 43, 44, 47, 54
 hydroxy acids in sunscreens, 102

I

ICAM-1 (Intercellular Adhesion
 Molecule), inflammation, 203–204
 effect of SEPS657 by keratinocytes, 205

IFP (intermediate filament protein),
 keratin, hair care, 252–253, 255
 environmental stress, 256, 258
 UV radiation, 260–261

INCI sunscreen names
 cross-references, 434–437
 UV filter naming, 437–438

induced dipole interactions. *See* Coulombic
 interactions

inflammation/anti-inflammation
 antiaging and tetrahydrocurcuminoids,
 195–196
 canola oils, 124
 DLTP (disodium laurimino-
 dipropionate tocopheryl phosphate)
 acne studies/results, 231–234
 erythema studies/results, 232–236

ICAM-1 (Intercellular Adhesion
 Molecule), 203–204
 tocopherols, 230–231
 phosphorylated, 230–231

intermediate filament protein (IFP),
 keratin and hair care, 252–253, 255
 environmental stress, 256, 258
 UV radiation, 260–261

internal conversion, UV filter
 molecules, 11

intersystem crossing, UV filter
 molecules, 11

J

Japan, sunscreen regulations, 405, 406
 SPF testing, 433
 UV filters, 6, 426
 UVA testing, 407

K

- keratin biopolymers and hair care, 252–254
 - environmental stress, 256–260
- keratin IFP (intermediate filament protein) and hair care, 252–253, 255
 - environmental stress, 256, 258
 - UV radiation, 260–261
- keratinocytes
 - melanocytes, 327–329
 - SEPS657 effects
 - expressions of ICAM-1, 205
 - stimulating proliferation, 205–206

L

- labeling requirements, FDA proposed amendment, 445–452. *See also* packaging
- larch extract. *See* GA
- light speed, 16
- Lignum dalbergiae odoriferae* (LDO), 280
 - melanin biosynthesis, 281–286
- lipid peroxidation, 289–295

M – N

- manifolds, 17
- matrikines, 103–105
- MBBT (Methylene bis-benzotriazolyl tetramethylbutylphenolb)
 - with avobenzene, 10
 - internal molecular conversion, 11
- melanin biosynthesis, Chinese medicinal plant materials, 280, 282–286
- melanocytes
 - applications, 328
 - future, 329
 - discovery, 327–328
 - testing, 328–329
- meradimate, FDA approved sunscreen actives, 87
- Methylene bis-benzotriazolyl tetramethylbutylphenolb (MBBT)
 - with avobenzene, 10
 - internal molecular conversion, 11
- Mexoryl sunscreens, 275–277
 - FDA approval, 430–431
- MMPs (matrix metalloproteases) DP, 300–301, 309–311

moisturizers

- homogeneous distribution of sunscreens, 69
- W/O emulsion applications, 39
- molecular strategies, UV filters, 11

New Zealand, sunscreen regulations, 405

O

- octinoxate, 5, 6
 - FDA approved sunscreen actives, 87
 - fluorescence, 25–31
 - photostability, 9
- octisalate, 5, 6
 - FDA approved sunscreen actives, 87
 - internal molecular conversion, 11
- octocrylene, 6
 - FDA approved sunscreen actives, 87
 - fluorescence, 26–30
- octyl methoxycinnamate (OMC), 221–222
 - UV absorbers, 223–225
- oil-in-water emulsions. *See* O/W emulsions
- OSI (Oxidative Stability Index), 119–120
- O/W emulsions
 - with alkylmethysiloxanes, 74
 - manufacturing procedures, 36–37
 - versus* W/O emulsions, 35–36
 - with zinc oxide, 62
- Oxidative Stability Index (OSI), 119–120
- oxybenzone, 5, 6
 - crystalizing during storage/shipment, 60
 - FDA approved sunscreen actives, 87
 - fluorescence, 26–28
 - internal molecular conversion, 11

P

- PABA (aminobenzoic acid)
 - FDA approved sunscreen actives, 87
 - PABA-free claim, 113
- packaging. *See also* labeling requirements sunscreens, 90–91
- padimate 0, 87
- paramethoxy-cinnamic acid esters, 5
- People's Republic of China, sunscreen regulations, 405

phenyl trimethicone, 169
 phosphatidylcholine, 43, 44, 47, 54
 photoaging prevention/repair. *See also*
 antiaging prevention/repair
 AMP (antimicrobial peptides), 379–380
 hair care, 383–384
 iron and copper, 299–300
 MMPs (matrix metalloproteases),
 300–301
 photostability, 376–378
 ROS (reactive oxygen species), 298–299
 skin biology, 378–379
 skin penetration, 382
 skin phenomena, 383
 skin reactions/diseases, 380–381
 TPBE (tannin-based *P. emblica*),
 301–303
 clinical study, 311–312
 formulations, 313
 iron and copper chelation, 307–308
 MMPs, 309–311
 ROS quenching, 304–307
 photooxidation protection, 120–124
 photostability of UV filters, 3, 407
 chromophores, 19
 FDA proposed amendment, 444
 formulation strategies, 8–10
 importance, 112
 photochemistry, 5–6
 solvent polarity, 7–8
 phyllanthus emblica fruit tannin. *See* TPBE
 (tannin-based *P. emblica*)
 physical blockers, 6
 phytosterols, 118–119
 application examples, 125–126
 polymers. *See* acrylates copolymers; film-
 forming polymers; quaternary polymers
 polysaccharides. *See* EPS657
 polysilicone-19 (PS-19), hair care, 240–243
 coloring, results, 247–249
 preservation of sunscreens, 86–90
 HPLC (high performance liquid
 chromatography), 348
 materials, 348–349
 methods, 349–350
 results, 350–353
 W/O emulsions, 38
 protein carbonylation, 289–295

Q – R

Qi Bao Mei Ran Gao (QBMRG), 280
 melanin biosynthesis, 281–286
 quaternary polymers, hair care, 79–80
 RGE (Rosa gallica extract). *See* French rose
 petal extract
 ROS (reactive oxygen species), 298–299
 quenching, 304–307
 Rosa gallica extract (RGE). *See* French rose
 petal extract

S

SEPS657 effects
 on fibroblast biological functions,
 207–208
 on ICAM-1 by keratinocytes, 205
 on oral isotretinoin, secondary effects,
 210–212
 on sensitive/highly reactive skins,
 208–209
 on skin irritation by manual shaving,
 212–213
 stimulating keratinocytes proliferation,
 205–206
 for sunscreens and after-sun care,
 214–217
 shampoos. *See* hair care
 silicone-based delivery, 71–73
 hair care, 76–77, 174–175
 elastomer emulsions, 175
 HMW (ultra high molecular weight)
 emulsions, 175
 quaternary polymers, 79–80
 silicone polyethers, 77–82, 175
 sunscreens, 160–161
 acrylate copolymers, 161–162
 AMS (alkylmethylsiloxanes), 73–75,
 163–169
 carbinol fluid, 162–163
 elastomer emulsions, 170–174
 HMW (ultra high molecular weight)
 emulsions, 170
 phenyl trimethicone, 169
 singlet excited state, UV filter molecules,
 16–20
 manifolds, 17

- quenching, 20–23
 - measuring with fluorescence, 23–31
 - skin bleaching, 432–433
 - skin care. *See* antiaging prevention/repair;
moisturizers; photoaging prevention/
repair; sunscreens
 - SOD (superoxide dismutase) enzymes DP
damage
 - preventing, 99
 - UV-induced, 299
 - UV oxidative stress, 289–295
 - solar simulators, 357–359
 - solvent polarity, photostability, 7–8
 - SPF and sunscreens, 113–114, 406
 - AMS (alkylmethylsiloxanes), 73–75,
163–169
 - environmental stress, 140
 - FDA proposed amendment, 441–442
 - film-forming polymers, 180–187
 - GA (galactoarabinan) testing, 132–134
 - maximum allowable SPE, 114–115
 - measuring SPE, 355–357
 - application protocols, 359–360
 - challenges, 357
 - potential improvements, 361–363
 - solar simulators, 357–359
 - testing variables, 360–361
 - product content claims, 113–114
 - regulations (*See also* FDA (Food and
Drug Administration) regulations of
OTC sunscreen products)
 - Australian, 433
 - COLIPA, 433
 - silicone-based delivery
 - AMS (alkylmethylsiloxanes),
163–169
 - elastomers, 171–173
 - phenyl trimethicone, 169
 - zinc oxide, 57, 62–63
 - sulfur dioxide gas, 257
 - sulisobenzene, 87
 - Sunscreens: Regulations and Commercial
Development*, 3, 4
 - sunscreens/sun care products. *See also*
UVA/UVR radiation; UVR radiation
antioxidants, 381
claims
 - SPE, 113–114
 - waterproof, 115, 406
 - cross-references of names by countries,
434–437
 - definition, 4, 93–94
 - HPLC (high performance liquid
chromatography), 348
 - materials, 348–349
 - methods, 349–350
 - results, 350–353
 - labeling requirements, 445–452
 - long-term protection, 405
 - packaging, 90–91
 - preserving, 86–90, 348–353
 - quantifying, 347–348
 - recreational uses, 404–405
 - tanning, 405
- superoxide dismutase (SOD) enzymes,
damage prevention, 99
- ## T
- tannins. *See* TPBE
 - tape stripping, 152–153
 - TEA (Time and Extent Application),
405, 451
 - terephthalylidene dicamphor sulfonic acid,
224–225
 - tetrahydrocurcuminoids and antiaging,
192–195
 - and curcuminoids, 196–198
 - formulations, 196–198
 - inflammation, 195–196
 - and tetrahydropiperine, 197, 199
 - tetrahydropiperine, 197, 199
 - TEWL (transepidermal water loss), GA
(galactoarabinan), 134
 - Time and Extent Application (TEA),
405, 451
 - tissue repair, 103–105
 - titanium oxide/dioxide in sunscreens, 6,
58–59, 221–222
 - for acne-prone skin, 43, 44
 - blocking UVR, 268–269
 - drug or not, 115–116
 - FDA approved actives, 87
 - GA (galactoarabinan), 132
 - nonwhitening sunscreens, 270–273

- particle sizes, 59–60
 - microfine metal oxides, 267
 - micro-sized, 431, 440
 - nano-sized, 431, 441
 - UV curve, 59
 - UVA/UVB blockers, 223–224, 266
 - tocopherols, 118–119. *See also* DLTP
 - application examples, 125–126
 - TPBE (tannin-based *P. emblica*) and photoaging prevention, 301–303
 - clinical study, 311–312
 - formulations, 313
 - iron and copper chelation, 307–308
 - MMPs, 309–311
 - ROS quenching, 304–307
 - transepidermal water loss (TEWL), 134
 - triplet excited state, UV filter molecules, 17
 - trolamine salicylate, 87
 - tumeric extract. *See* curcuminoids; tetrahydrocurcuminoids
- U**
- United States, FDA regulations of OTC
 - sunscreen products, 15, 85–86, 87
 - Mexoryl approval, 430–431
 - PR (Proposed Rules) amendment, 439–440
 - dosage forms, 444–445
 - labeling requirements, 445–452
 - photostability, 444
 - testing, in vivo and in vitro, 443–444
 - testing, SPF, 441–442
 - UVA determination, 442–443
 - products
 - allowed, 114–115, 440
 - new, 115
 - rejected, 440–441
 - UV filters, maximum usage levels by region, 6
 - United States Adopted Names (USAN),
 - cross-references of sunscreen names by countries, 434–437
 - United States FDA regulations of OTC
 - sunscreen products
 - PR (Proposed Rules) amendment
 - skin bleaching, 432–433
 - UVA determination, 431–432
 - UVA determination, Playtex method, 368–372
 - UVA determination, recognition of need, 365–368
 - sunscreen lawsuit, 431–432
 - TEA (Time and Extent Application), 405
 - USAN (United States Adopted Names)
 - cross-references of sunscreen names, 434–437
 - UV filter naming, 437–438
 - UVA/UVB radiation, 6, 220–222. *See also* UVR
 - acne-prone skin screens, 50–51, 54–55
 - ecamsule, 275–277
 - FDA proposal for UVA standard, 431–432, 442–443
 - Playtex method, 368–372
 - recognition of need, 365–368
 - French rose petal extract, 141
 - cellular detoxification, 142–143
 - cellular oxidant production, 144
 - hydroxyl damage, 145–146
 - plasmid DNA, 146–147
 - hair care, IFP (intermediate filament protein), keratin, 260–261
 - lipid peroxidation, effects on, 289–295
 - photostability, 223–224
 - protein carbonylation, effects on, 289–295
 - testing, 409
 - UV absorbers
 - developments, 224–225
 - protecting, 223–224
 - UVR (UV radiation). *See also* UVA/UVB radiation
 - blocking, 268–270
 - CER (ceramides), 102, 154–157
 - chromophores, 16–20
 - complexation strategies, 11–12
 - curves
 - melanin biosynthesis, 285, 286
 - shifts, solvent-caused, 113
 - titanium dioxide, 59
 - zinc oxide, 59–60
 - encapsulation strategies, 11–12

filters
 developments, 407–408, 410–417
 FAQs (frequently asked questions), 426
 homogeneity in distribution, 65–70
 maximum usage levels by region, 6
 naming, 437–438
 organic, frequency of use, 425–426, 427–428
 registration/patents, 410, 423–425
hair care, 260–262
 polysilicone-19 (PS-19), 247–249
 UV filters, 408–409
manifolds containing molecule states, 17
molecular strategies, 11
pathways, destructive and nondestructive, 4–5
photostability, 3
 formulation strategies, 8–10
 internal conversion, 11
 intersystem crossing, 11
 photochemistry, 5–6
 solvent polarity, 7–8
polysilicone-19 (PS-19), hair care, 240–249
resonance, 16
skin cancer, 404
sunscreens, nonwhitening, 270–273
 microfine metal oxides, 267
tanning as drug claim, 116
wavelengths, 265–266
 melanin biosynthesis, 283–285

V – W

vitamins in sunscreens, 95–98, 409

water-in-oil emulsions. *See* W/O emulsions

watermelon and DNA protection, 319–320
 comet assay/results, 321, 322–323
 plasmid assay/results, 320, 321

W/O emulsions

 applications, 38–39
 manufacturing procedures, 36–37
 versus O/W emulsions, ratio of oil to water, 35–36
 preserving, 38

selecting
 emulsifiers, 37
 stabilizers, 37–38
 thickening agents, 38
 with zinc oxide, 62

X – Z

xanthan gum, 186–187

zinc oxide in sunscreens, 6, 221
 blocking UVR, 268–269
 drug or not, 115–116
 emulsifiers, 61–63
 FDA approved actives, 87, 440
 nonwhitening sunscreens, 270–273
 particle sizes, 59–60
 microfine metal oxides, 267
 micro-sized, 431, 440
 nano-sized, 431, 441
 semiconductor effects, 58–59
 UV curve, 59
 UVA/UVB blockers, 266
 xanthan gum, 60–62