

Index

2-phenylethanol, 47

A

a-pinane, fragrance ingredients, 324

acetals

acids and bases, 178–180

heteroatoms, 57–58

acetone, intermediates from, 334

acid anhydrides, heteroatoms, 56

acids, 165–168

acetals, 178–180

adol reaction and condensation, 175–178

alcohol dehydration, 182–183

catalyze addition to olefins, 183–184

chemistry in consumer goods, 220–222

contents, chemical methods of analysis, 123

electrophiles, 172–173

electrophilic substitution in aromatic rings, 188–190

ester hydrolysis, 173–175

esterification, 173–175

Friedel-Crafts reaction, 187–188

Grignard reaction, 185–187

ketals, 178–180

Michael reaction, 184–185

nitriles, 181–182

nucleophiles, 172–173

pH, 169–172

Schiff's bases, 180–181

strong and weak classifications, 168–169

acyclic materials, nomenclature rules, 41

adenine, 246

adenosine triphosphate (ATP), biosynthesis principles, 283

adol condensations, acids and bases, 175–178

adol reactions, acids and bases, 175–178

- Age of Enlightenment, 3
- alcohols
 - dehydration, acids and bases, 182–183
 - heteroatoms, 44–47
- aldehydes
 - chemical methods of analysis, 124–125
 - heteroatoms, 50–51
- alkanes, 22–25
- alkenes, 25–29
- alkynes, 29–30
- amides, formation, 63
- amines, inversion, 60
- ammonium salts, heteroatoms, 58–60
- amygdala, olfaction process, 268
- amygdalin, hydrolysis, 245
- analysis, chemical, 119–120
 - chemical methods, 122–126
 - gas chromatography-mass spectrometry (GC-MS), 141–147
 - physical methods, 120–122
 - spectroscopic methods, 126–141
- anionic surfactants, 86
- anti-bacterial agents, chemistry in consumer goods, 230
- anti-oxidants, 207–208
- aromatics
 - hydrocarbon rings, 35–37
 - nomenclature rules, 41
- Atom Theory, 4–6
- atomic absorption, chemical methods of analysis, 125–126
- atoms, 2
 - structure, 6–8
- ATP (adenosine triphosphate), biosynthesis principles, 283
- autoxidation, 203–205
- azeotropes, 100

B

- b-pinene, fragrance ingredients, 327
- Bacon, Roger, 2–3
- base notes, perfume structure, 210–213

- bases, 165–168
 - acetals, 178–180
 - acid catalyst addition to olefins, 183–184
 - adol reaction and condensation, 175–178
 - alcohol dehydration, 182–183
 - chemistry in consumer goods, 222
 - contents, chemical methods of analysis, 123
 - electrophiles, 172–173
 - electrophilic substitution in aromatic rings, 188–190
 - ester hydrolysis, 173–175
 - esterification, 173–175
 - Friedel-Crafts reaction, 187–188
 - Grignard reaction, 185–187
 - ketals, 178–180
 - Michael reaction, 184–185
 - nitriles, 181–182
 - nucleophiles, 172–173
 - pH, 169–172
 - Schiff's bases, 180–181
 - strong and weak classifications, 168–169
- Berzelius, J.J., 4
- bilayers, states of matter, 92–93
- biological oxygen demand (BOD), 125
- biosynthesis
 - lipid, 288–289
 - polyketide, 287–288
 - principles, 282–285
 - secondary metabolites pattern of, 285–286
- biradex N
 - crystal structure, 78
 - structure, 77
- bloom, perfume structure, 216–217
- BOD (biological oxygen demand), 125
- boiling points
 - n-alkanes, 25
 - physical methods of analysis, 121
- Buck, Linda, 274
- butadiene, 332

C

c-c double bonds, formation, 26

c-c triple bonds, formation, 30

carbocations, formation, 161

carbohydrates, living organisms, 243–246

carbons

heteroatoms

acetals, 57–58

acid anhydrides, 56

alcohols, 44–47

aldehydes, 50–51

ammonium salts, 58–60

carboxylic acids, 52–54

chlorides, 56

enamines, 60–63

esters, 55–56

ethers, 49–50

heterocyclic compounds, 67–73

hydrogen bonding, 43–44

ketals, 57–58

ketones, 51–52

nitrogen-amines, 58–60

nitrogen-imines, 60–63

nitrogen-nitriles, 63–64

nitrogen-nitro compounds, 64

peroxy compounds, 58

phenols, 48–49

sulphur, 64–67

hydrocarbons

alkanes, 22–25

alkenes, 25–29

alkynes, 29–30

aromatic rings, 35–37

cyclic structures, 30–32

ethane, 19–22

Greek characters in Chemistry, 33–34

isomer rules, 42

nomenclature rules, 41–42

- polycyclic structures, 32–33
- stereoisomerism, 37–41
- red-ox reactions, 199–208
- carboxylic acids, heteroatoms, 52–54
- carotenoids, 302
- castor oils, fragrance ingredients, 315
- catalysts, chemical reactions, 157
- cationic surfactants, 88
- cedarwood oils, fragrance ingredients, 329
- chelating agents, chemistry in consumer goods, 227–228
- chemical analysis, 119–120
 - chemical methods
 - acid content, 123
 - aldehyde/ketone content, 124–125
 - atomic absorption, 125–126
 - base content, 123
 - chemical oxygen demand (COD), 125
 - ester value, 124
 - peroxide content, 123–124
 - phenol content, 125
 - titration, 122–123
 - water content, 125
 - gas chromatography-mass spectrometry (GC-MS), 141–142
 - eugenol example, 142–146
 - quality control, 146–147
 - physical methods, 120–122
 - spectroscopic methods, 126–127
 - infrared (IR), 131–133
 - mass spectrometry (MS), 138–141
 - nuclear magnetic resonance (NMR), 133–138
 - ultraviolet (UV), 128–131
- chemical bonding, 13–18
- chemical compounds, 4
- chemical information
 - abstracts, 366–367
 - academic publications, 365
 - further reading, 368–369
 - generation and publication, 363

- locating, 367–368
- patents, 363–365
- reviews, 365–366
- chemical methods of analysis
 - acid content, 123
 - aldehyde/ketone content, 124–125
 - atomic absorption, 125–126
 - base content, 123
 - chemical oxygen demand (COD), 125
 - ester value, 124
 - peroxide content, 123–124
 - phenol content, 125
 - titration, 122–123
 - water content, 125
- chemical oxygen demand (COD), chemical methods of analysis, 125
- chemical reactions. See also chemistry
 - catalysts, 157
 - free energy, 151–152
 - organic reactions, 157–163
 - reaction profiles, 155–157
 - simple equations, 152–154
 - thermodynamics, 149–151
- chemistry
 - acids and bases, 165–168
 - acetals, 178–180
 - adol reaction and condensation, 175–178
 - alcohol dehydration, 182–183
 - catalyst addition to olefins, 183–184
 - electrophiles, 172–173
 - electrophilic substitution in aromatic rings, 188–190
 - ester hydrolysis, 173–175
 - esterification, 173–175
 - Friedel-Crafts reaction, 187–188
 - Grignard reaction, 185–187
 - ketals, 178–180
 - Michael reaction, 184–185
 - nitriles, 181–182
 - nucleophiles, 172–173

- pH, 169–172
- Schiff's bases, 180–181
- strong and weak classifications, 168–169
- consumer goods, 219–220
 - acids, 220–222
 - anti-bacterial agents, 230
 - bases, 222
 - chelating agents, 227–228
 - cosmetics, 232–233
 - fine fragrance, 231–232
 - household products, 235–236
 - laundry, 234–235
 - nucleophiles, 222–223
 - oxidants, 223–225
 - personal wash, 233–234
 - photo-active agents, 229–230
 - reactive ingredients, 230–231
 - reductants, 225–227
 - surfactants, 227
 - toiletries, 232–233
- importance to all industries, 1–4
- living organisms
 - carbohydrates, 243–246
 - lipids, 247–249
 - molecular association, 239–242
 - natural chemical classes, 242–243
 - nucleic acids, 246–247
 - proteins, 250–254
 - toxicity, 254–264
- red-ox reactions
 - chlorine, 196–198
 - chromium, 194
 - defined, 193
 - iron, 193–194
 - organic chemistry, 199–208
 - sodium hypochlorite formation, 197
 - sulphur, 195–198
- chlorides, heteroatoms, 56

- chlorine, red-ox reactions, 196–198
- chloroform reactions, 201
- chords, perfume structure, 209
- chromatography
 - column, 111
 - gas, 112–117
 - High Performance Liquid Chromatography (HPLC), 111–112
 - paper, 109
 - purification, 107–109
 - thin layer (TLC), 110–111
- chromium, red-ox reactions, 194
- cilia, olfaction process, 268
- citral
 - Arens and van Dorp production, 320–321
 - Barbier, Bouveault, and Tiemann production, 320
 - Carroll reaction, 322
 - Claisen rearrangement, 323
 - from isobutylene, 323
 - production, 319
- citronellol, 47
- citrus oils, fragrance ingredients from compounds, 328
- clary sage, amber ingredients, 330
- COD (chemical oxygen demand), chemical methods of analysis, 125
- coenzyme A, biosynthesis principles, 285
- cofactors, biosynthesis principles, 282–285
- colloids, states of matter, 93
- colors, physical methods of analysis, 122
- column chromatography, purification, 111
- conformational isomers, 19–22
- consumer goods, chemistry, 219–220
 - acids, 220–222
 - anti-bacterial agents, 230
 - bases, 222
 - chelating agents, 227–228
 - cosmetics, 232–233
 - fine fragrance, 231–232
 - household products, 235–236
 - laundry, 234–235

- nucleophiles, 222–223
- oxidants, 223–225
- personal wash, 233–234
- photo-active agents, 229–230
- reactive ingredients, 230–231
- reductants, 225–227
- surfactants, 227
- toiletries, 232–233
- cosmetics, consumer good categories, 232–233
- covalent bonds, 13–18
- cribiform plates, olfaction process, 268
- crystal structures
 - biradex N, 78
 - sodium chloride, 76
- crystallization, purification, 104
- cyclic structures, hydrocarbons, 30–32
- cyclohexane, conformations, 31
- cytosine, 246

D

- Dalton, John, 4–6
- Dean-Stark apparatus, 101
- density, physical methods of analysis, 120
- deodorancy, fragrance requirements, 355
- detergency, states of matter, 90–91
- Diels-Alder reactions, 162
- dihydromyreenol, 47
- dimethylsulphoxide, 66
- diols, 46
- discords, perfume structure, 209
- distillation, purification, 95–103
- divalent sulphur compounds, 65

E

- Edwards, Michael, 211
- electromagnetic spectrum, 127
- electrons, 6, 9–12
- electrophiles, acids and bases, 172–173

elements, 4, 6–7
emulsions, states of matter, 89–90
 enamines
 acids and bases, 180–181
 heteroatoms, 60–63
endothermic reactions, 156
enthalpy, 151–152
entropy, 151–152
enzymes, biosynthesis principles, 282–285
essential oils, phenols, 49
ester hydrolysis, acids and bases, 173–175
ester values, chemical methods of analysis, 124
esterification, acids and bases, 173–175
esters, heteroatoms, 55–56
ethane, 19–22
ethers, heteroatoms, 49–50
ethyl acetate, formation, 55
ethylene, aliphatic fragrance ingredients, 331
eugenol, spectroscopic techniques, 142–146
exothermic reactions, 156

F

fatty acids, biosynthesis, 247
fine fragrances, consumer good categories, 231–232
flashpoints, physical methods of analysis, 121
fractionating stills, 99
fragrances
 natural
 biosynthesis principles, 282–285
 commercial extraction, 106–107
 degradation products, 302–305
 lipid biosynthesis, 288–289
 malodors, 305–307
 organism benefits for producing odorous chemicals, 281–282
 polyketide biosynthesis, 287–288
 secondary metabolites pattern of biosynthesis, 285–286
 shikimic acid pathway, 290–293
 terpenoids, 293–302

- synthetic
 - economics of manufacturing, 311–314
 - novel fragrance ingredient designs, 356–360
 - petrochemicals, 330–350
 - polyketides, 314–317
 - reasons for use, 309–311
 - requirements of fragrance ingredients, 353–356
 - shikimates, 314–317
 - sustainability, 350–353
 - terpenoid production, 317–330
- free energy, 151–152
- Friedel-Crafts reactions, acids and bases, 187–188
- fructose, 244
- further reading, chemical information, 368–369

G

- gas chromatography, purification, 112–117
- gas chromatography-mass spectrometry (GC-MS) analysis, 141–142
 - eugenol example, 142–146
 - quality control, 146–147
- GC-MS (gas chromatography-mass spectrometry) analysis, 141–142
 - eugenol example, 142–146
 - quality control, 146–147
- geometric isomers, 25–29
- geraniol, 47
- Gibbs, Willard, 151–152
- glucose, 244
- glomerulus, olfaction process, 268
- glycoside, formation, 244
- graphite, 79
- Greek characters, use in Chemistry, 33–34
- Grignard reactions, acids and bases, 185–187
- guanine, 246

H

- hazard labels, citrus oils, 311
- heteroatoms
 - acetals, 57–58

- acid anhydrides, 56
- alcohols, 44–47
- aldehydes, 50–51
- ammonium salts, 58–60
- carboxylic acids, 52–54
- chlorides, 56
- enamines, 60–63
- esters, 55–56
- ethers, 49–50
- heterocyclic compounds, 67–73
- hydrogen bonding, 43–44
- ketals, 57–58
- ketones, 51–52
- nitrogen-amines, 58–60
- nitrogen-imines, 60–63
- nitrogen-nitriles, 63–64
- nitrogen-nitro compounds, 64
- peroxy compounds, 58
- phenols, 48–49
- sulphur, 64–67
- heterocyclic compounds, 67–73
- hexavalent sulphur compounds, 66
- High Performance Liquid Chromatography (HPLC), 111–112
- household products, consumer good categories, 235–236
- HPLC (High Performance Liquid Chromatography), 111–112
- hybridization, orbitals, 12–13
- hydrocarbons, 19
 - alkanes, 22–25
 - alkenes, 25–29
 - alkynes, 29–30
 - aromatic rings, 35–37
 - cyclic structures, 30–32
 - ethane, 19–22
- Greek characters in Chemistry, 33–34
- isomer rules, 42
- nomenclature rules, 41–42
- polycyclic structures, 32–33
- red-ox reactions, 199

- stereoisomerism, 37–41
- hydrogens
 - bonding, 43–44
 - molecule formation, 20
- hydroperoxides, 59
- hydrophobic bonding, 242
- hydroxide, as base or nucleophile, 173

I

- impacts, perfume structure, 215–216
- infrared (IR), spectroscopic chemical analysis, 131–133
- ionic bonds, 13–18
- IR (infrared), spectroscopic chemical analysis, 131–133
- Iron Age, 1
- iron, red-ox reactions, 193–194
- isomeric butanes, 22
- isomeric butenes, 27
- isomers
 - conformational, 19–22
 - geometric, 25–29
 - rules, 42
 - structural, 22–25
- isotopes, 8–9

J–K

- journals, chemical information, 369

ketals

- acids and bases, 178–180
- heteroatoms, 57–58

ketones

- chemical methods of analysis, 124–125
- heteroatoms, 51–52

L

- laundry, consumer good categories, 234–235
- Law Of Definite Proportions, 3
- Law of Equivalent Proportions, 3–4

- lifecycles, synthetic fragrances, 312
- limonene, enantiomer representation, 39
- lipids
 - bilayer, 91
 - biosynthesis, 288–289
 - living organisms, 247–249
- liquids, 79
- living organisms
 - carbohydrates, 243–246
 - lipids, 247–249
 - molecular association, 239–242
 - natural chemical classes, 242–243
 - nucleic acids, 246–247
 - proteins, 250–254
 - toxicity, 254–264
- longifolene, fragrance ingredients, 328

M

- macrocyclic musks, 348
- malodors, natural fragrances, 305–307
- mass spectrometry (MS), spectroscopic chemical analysis, 138–141
- matter
 - states
 - bilayers, 92–93
 - colloids, 93
 - detergency, 90–91
 - emulsions, 89–90
 - gases, 79
 - liquids, 79
 - micelles, 90
 - phase changes, 80–81
 - solids, 75–79
 - solubility, 82–83
 - surfactants, 83–89
 - two-phase systems, 81–82
 - structure
 - atom structure, 6–8
 - chemical bonding, 13–18

- chemistry, importance to all industries, 1–4
- electrons orbiting atoms, 9–12
- isotopes, 8–9
- orbital hybridization, 12–13
- periodic table, 5–6
- transition metals, 12

melting points, physical methods of analysis, 120

Mendeleev, D.I., 4–5

metallurgy, 2

methanol

- hydrogen bonding, 46
- representations, 45

methyl dihydrojasmonate, manufacturing, 344

micelles, states of matter, 90

Michael reactions, acids and bases, 184–185

Microscopic Reversibility and Chemical Equilibrium principle, 153

middle notes, perfume structure, 210–213

mixtures, 4

molecules, 4, 239–242

monocyclic compounds, nomenclature rules, 41

monoterpenoids, 298–300

muguet aldehydes, manufacturing, 336

N

n-alkanes, boiling points, 25

n-pentane, 23

NADP (nicotinamide adenine dinucleotide phosphate), biosynthesis principles, 284

nasal turbinates, olfaction process, 268

natural fragrances

- biosynthesis principles, 282–285
- commercial extraction, 106–107
- degradation products, 302–305
- lipid biosynthesis, 288–289
- malodors, 305–307
- organism benefits for producing odorous chemicals, 281–282
- polyketide biosynthesis, 287–288
- secondary metabolites pattern of biosynthesis, 285–286

- shikimic acid pathway, 290–293
- terpenoids, 293–302
- neutral surfactants, 87
- neutrons, 6
- nicotinamide adenine dinucleotide phosphate (NADP), biosynthesis principles, 284
- nitriles, acids and bases, 181–182
- nitrogen, heteroatoms
 - amines, 58–60
 - imines, 60–63
 - nitriles, 63–64
 - nitro compounds, 64
- nitrogen-amines, heteroatoms, 58–60
- nitrogen-imines, heteroatoms, 60–63
- nitrogen-nitriles, heteroatoms, 63–64
- nitrogen-nitro compounds, 64
- nitromusks, 346
- NMR (nuclear magnetic resonance), spectroscopic chemical analysis, 133–138
- nomenclature, hydrocarbons, 41–42
- nor-patchoulenol, 47
- notes, perfume structure, 209
- novel fragrances, ingredient designs, 356–360
- nuclear magnetic resonance (NMR), spectroscopic chemical analysis, 133–138
- nucleic acids, living organisms, 246–247
- nucleophiles
 - acids and bases, 172–173
 - chemistry in consumer goods, 222–223
- nucleotides, recognition between, 247
- numerical prefixes, 24

O

- odor families, 210–213
- odorant molecules, olfaction process, 268
- olefins
 - acid catalyst addition to, 183–184
 - reaction of peracetic acid, 202

- olfaction
 - organs used, 268–270
 - process
 - odor perception, 274–279
 - olfaction combinatorial sense, 274
 - receptor event, 271–273
 - transport to receptors, 270–271
 - role in biology, 267–268
- olfactory bulbs, olfaction process, 268
- olfactory epithelium, olfaction process, 268
- optical rotations, physical methods of analysis, 121
- orbitals
 - electronic structure of atoms, 9–12
 - hybridization, 12–13
 - transition metals, 12
- orbitofrontal cortex, olfaction process, 268
- organic chemistry, red-ox reactions, 199–208
- organic reactions, 157–163
- organoleptic stability, 355
- oxidants, chemistry in consumer goods, 223–225
- oxidation reactions. See red-ox reactions
- oximes, 61

P

- paper chromatography, purification, 109
- para-tertiary-butylcyclohexyl acetate (PTBCHA), 175
- patents, chemical information, 363–365
- peracetic acid, 202
- peracids, 59
- perfumes
 - acetals, 58
 - alcohols, 47
 - esters, 56
 - ketals, 58
 - nitriles, 64
 - peroxy functions, 59
 - structure
 - base notes, 210–213

- bloom, 216–217
 - chemistry, 217–218
 - chords, 209
 - discords, 209
 - impact, 215–216
 - ingredients, 209–210
 - middle notes, 210–213
 - notes, 209
 - persistence, 213–215
 - physical factors, 217–218
 - radiance, 216–217
 - tenacity, 213–215
 - threshold, 215
 - top notes, 210–213
 - types, 214
- periodic table, 5–6
- Perkin triangles, 97–98
- peroxides, 59, 123–124
- peroxy
 - heteroatoms, 58
 - perfume functions, 59
- persistence, perfume structure, 213–215
- personal wash, consumer goods categories, 233–234
- petrochemicals, synthetic fragrance production, 330–350
- pH, acids and bases, 169–172
- phase changes, states of matter, 80–81
- phenols
 - chemical methods of analysis, 125
 - heteroatoms, 48–49
 - manufacturing, 340
- phospholipids, 249
- photo-active agents, chemistry in consumer goods, 229–230
- physical methods of analysis, 120–122
- pinane, fragrance ingredients, 324
- piriform cortex, olfaction process, 268
- Polak, Ernst, 274
- polycyclic musks, 347
- polycyclic structures, 32–33

- polygons, internal angles, 30
- polyketides
 - biosynthesis, 287–288
 - synthetic fragrances, 314–317
- primary alcohols, 46
- primary amines, 59
- primary metabolites, 243
- product safety, 254–264
- proteins, living organisms, 250–254
- protons, 6
- PTBCHA (para-tertiary-butylcyclohexyl acetate), 175
- purification
 - chromatography, 107–109
 - column chromatography, 111
 - crystallization, 104
 - distillation, 95–103
 - gas chromatography, 112–117
 - HPLC (High Performance Liquid Chromatography), 111–112
 - natural fragrance commercial extraction, 106–107
 - paper chromatography, 109
 - solvent extraction, 104–106
 - sublimation, 103–104
 - thin layer chromatography (TLC), 110–111

Q–R

- quality controls, gas chromatography-mass spectrometry (GC-MS), 146–147
- quarternary ammonium salts, 59

- radiance, perfume structure, 216–217
- rapeseed oils, 316
- reaction profiles, chemical reactions, 155–157
- reactive ingredients, chemistry in consumer goods, 230–231
- receptor cells, olfaction process, 268
- red dyes, spectrum, 130
- red-ox reactions
 - chlorine, 196–198
 - chromium, 194

defined, 193
iron, 193–194
organic chemistry, 199–208
sodium hypochlorite formation, 197
sulphur, 195–198
reductants, chemistry in consumer goods, 225–227
reduction reactions. See red-ox reactions
refractiveindex, physical methods of analysis, 121
Richter, J.B., 3
rose alcohols, production, 319

S

Schiff's bases, 60–63
 acids and bases, 180–181
scientific method, 2–3
secondary alcohols, 46
secondary amines, 59
secondary metabolites, 243
sense of smell, 2
separation
 chromatography, 107–109
 column chromatography, 111
 crystallization, 104
 distillation, 95–103
 gas chromatography, 112–117
 HPLC (High Performance Liquid Chromatography), 111–112
 natural fragrance commercial extraction, 106–107
 paper chromatography, 109
 solvent extraction, 104–106
 sublimation, 103–104
 thin layer chromatography (TLC), 110–111
sesquiterpenoids, 301
shikimates, synthetic fragrances, 314–317
shikimic acid pathways, 290–293
smell
 organs used, 268–270
 process
 odor perception, 274–279

- olfaction combinatorial sense, 274
- receptor event, 271–273
- transport to receptors, 270–271
- role in biology, 267–268
- sodium chloride, crystal structure, 76
- solids, 75–79
- solubility, states of matter, 82–83
- solvent extraction, purification, 104–106
- spectrometers, basic components, 129
- spectroscopic chemical analysis, 126–127
 - infrared (IR), 131–133
 - mass spectrometry (MS), 138–141
 - nuclear magnetic resonance (NMR), 133–138
 - ultraviolet (UV), 128–131
- sphingolipids, 249
- states of matter
 - bilayers, 92–93
 - colloids, 93
 - detergency, 90–91
 - emulsions, 89–90
 - gases, 79
 - liquids, 79
 - micelles, 90
 - phase changes, 80–81
 - solids, 75–79
 - solubility, 82–83
 - surfactants, 83–89
 - two-phase systems, 81–82
- steam stills, 102
- stereoisomerism, hydrocarbons, 37–41
- stills, distillation, 96
- Stone Age, 1
- structural isomers, 22–25
- sublimation, purification, 103–104
- sulphonic acids, 67
- sulphur
 - heteroatoms, 64–67
 - red-ox reactions, 195–198

surfactants

- chemistry in consumer goods, 227

- states of matter, 83–89

sustainability, synthetic fragrance production, 350–353

synthetic fragrances

- economics of manufacturing, 311–314

- novel fragrance ingredient designs, 356–360

- petrochemicals, 330–350

- polyketides, 314–317

- reasons for use, 309–311

- requirements of fragrance ingredients, 353–356

- shikimates, 314–317

- sustainability, 350–353

- terpenoid production, 317–330

T

tenacity, perfume structure, 213–215

terpenoids

- natural fragrances, 293–302

- synthetic fragrance production, 317–330

terpinol, 47

tertiary alcohols, 46

tertiary amines, 59

thalamus, olfaction process, 268

thermodynamics, 149–151

thin layer chromatography (TLC), purification, 110–111

thresholds, perfume structure, 215

thymine, 246

titration, chemical methods of analysis, 122–123

TLC (thin layer chromatography), purification, 110–111

toiletries, consumer good categories, 232–233

toluene, benzylic oxidation, 337

top notes, perfume structure, 210–213

toxicity, living organisms, 254–264

transition metals, 12

transmembrane protein, 251

trigeminal nerves, olfaction process, 268

triglycerides, 249

two-phase systems, states of matter, 81–82

U–W

Ultravanyl, 178

UV (ultraviolet), spectroscopic chemical analysis, 128–131

viscosity, physical methods of analysis, 121

water content, chemical methods of analysis, 125

white lights, splitting into spectrum, 128

X–Y–Z

Zwitterionic surfactants, 88